

Supplement 2

Checklist of host plants of the rust fungi (Pucciniales, Basidiomycota) recorded as occurring in southern Africa, including South Africa, Angola, Botswana, eSwatini (formerly Swaziland), Lesotho, Mozambique, Namibia and Zimbabwe.

The host entries are listed in alphabetical order within plant family, which are themselves listed alphabetically. Each entry is in the order: plant species and authority, rust species, reference(s). Synonyms of host plants or rust species used in the cited literature are given but otherwise none are provided. Host plants not indigenous (alien) to southern Africa are indicated by ‘*’ at the beginning of the entry and the name in purple, including cultivated crop and horticultural species, an naturalized and declared alien invasive plants. New host records are indicated in blue, the host name, rust species name and specimen deposited in PREM are indicated. Other notes on the hosts or rust species are in green.

Acanthaceae

1. *Barleria crassa* C.B.Clarke, *Puccinia duthiei* (= *Aecidium barleriae*), Doidge (1950), Laundon (1963), Masuka et al. (1998)
2. *Blepharis buchneri* Lindau, *Puccinia blepharidis*, Doidge (1950), Laundon (1963)
3. *Blepharis glumacea* S.Moore, *Puccinia blepharidis*, Laundon (1963), Masuka et al. (1998)
4. *Blepharis obmitrata* C.B.Clarke (= *Acanthopsis* sp.), *Puccinia namibiana*, Doidge (1950), Laundon (1963), Mennicken et al. (2005a)
5. *Blepharis* sp., *Puccinia blepharidis*, Doidge (1950)
6. *Chaetacanthus burchellii* Nees, *Aecidium acanthacearum*, Doidge (1950), Laundon (1963)
7. *Chaetacanthus setiger* (Pers.) Lindl., *Puccinia chaetacanthi*, Doidge (1950), Laundon (1963)
8. *Hypoestes aristata* (Vahl.) Sol. ex Roem. & Schult. (= *Hypoestes antennifera* S.Moore), *Uromyces hypoestis*, Doidge (1950), Gjørnum & Reid (1998), Laundon (1963), Masuka et al. (1998); *Uredo monechmatis*, Berndt (2009)
9. *Hypoestes forskalii* (Vahl.) R.Br. (= *Hypoestes verticillaris* (Vahl) R.Br.), *Puccinia isoglossae*, Doidge (1950), Laundon (1963); *Uromyces hypoestis*, Doidge (1950), Gjørnum and Reid (1998), Laundon (1963)
10. *Hypoestes triflora* (Forssk.) Roem. & Schult., *Aecidium acanthacearum*, Doidge (1950); *Uromyces hypoestis* PREM 57877
11. *Hypoestes* sp., *Puccinia isoglossae*, Doidge (1950), Laundon (1963)
12. *Isoglossa ciliata* (Nees) Lindau, *Uredo monechmatis*, Berndt (2009)

13. *Isoglossa densa* N.E.Br., *Aecidium acanthacearum*, Doidge (1950)
14. *Isoglossa eckloniana* (Nees) Lindau, *Aecidium* sp., Doidge (1950), Laundon (1963)
15. *Isoglossa prolixa* (Nees) Lindau, *Uromyces hypoëstis*, Doidge (1950), Gjørsum and Reid (1998), Laundon (1963)
16. *Isoglossa woodii* C.B.Clarke., *Aecidium acanthacearum*, Doidge (1950)
17. *Isoglossa* sp., *Aecidium acanthacearum*, Doidge (1950)
18. *Justicia capensis* Thunb., *Uromyces hypoëstis*, Gjørsum and Reid (1998), Jørstad (1956); *Uredo monechmatis*, Berndt (2009)
19. *Justicia* sp., *Aecidium acanthacearum*, Doidge (1950), Laundon (1963)
20. *Thunbergia atriplicifolia* E.Mey. ex Nees, *Puccinia thunbergiae*, Doidge (1950), Laundon (1963)
21. *Thunbergia dregeana* Nees, *Puccinia thunbergiae*, PREM 58370
22. *Thunbergia lancifolia* T.Anders., *Puccinia tандаaiënsis*, Doidge (1950), Laundon (1963), Masuka et al. (1998)
23. *Thunbergia natalensis* Hook, *Puccinia thunbergiae*, Doidge (1950)

Aizoaceae (including Mesembryanthemaceae)

24. *Aridaria noctiflora* (L.) Schwantes, *Puccinia aridariae*, Mennicken et al. (2005c)
25. *Aizoon canariense* L., *Puccinia galeniae*, Mennicken et al. (2005c)
26. *Delosperma herbeum* (N.E.Br.) N.E.Br., *Puccinia mesembryanthemi*, Doidge (1950)
27. *Delosperma* sp., *Puccinia mesembryanthemi*, Doidge (1950)
28. *Galenia africana* L., *Puccinia galeniae*, Doidge (1950), Mennicken et al. (2005c)
29. *Galenia crystallina* (Eckl. & Zeyh.) Fenzl, *Puccinia galeniae*, Mennicken et al. (2005c)
30. *Galenia dregeana* Fenzl ex Sond., *Puccinia galeniae*, Mennicken et al. (2005c)
31. *Galenia sarcophylla* Fenzl., *Puccinia galeniae*, Doidge (1950), Laundon (1963b), Mennicken et al. (2005c)
32. *Galenia* sp., *Uredo lieliefontensis*, Mennicken et al. (2005c)
33. *Lampranthus otzenianus* (Dinter) Friedrich, *Puccinia otzeniani*, Mennicken et al. (2005c)
34. *Mesembryanthemum guerichianum* Pax, *Puccinia aridariae*, Mennicken et al. (2005c); *Uredo guerichiani* Mennicken et al. (2005c)
35. *Mesembryanthemum nodiflorum* L., *Puccinia knersvlaktensis*, Mennicken et al. (2005c)
36. *Mesembryanthemum* sp., *Uredo guerichiani* Mennicken et al. (2005c)

37. *Psilocaulon granulicaule* (Haw.) Schwant., *Puccinia mesembryanthemi*, Doidge (1950), Mennicken et al. (2005c)
38. *Psilocaulon leptarthron* (A.Berger) N.E.Br., *Puccinia mesembryanthemi*, Mennicken et al. (2005c)
39. *Psilocaulon parviflorum* (Jacq.) Schwant., *Puccinia mesembryanthemi*, Doidge (1950), Mennicken et al. (2005c)
40. *Psilocaulon salicornioides* (Pax) Schwantes, *Puccinia mesembryanthemi*, Mennicken et al. (2005c)
41. *Sceletium tortuosum* (L.) N.E.Br., *Puccinia* cf. *mesembryanthemi*, Crous et al. (1999)
42. *Tetragonia arbuscula* Fenzl, *Aecidium tetragoniae*, Doidge (1950), Laundon (1963b)
43. *Tetragonia echinata* Aiton, *Puccinia tetragoniae* var. *austroafricana*, Mennicken et al. (2005c)
44. *Tetragonia fruticosa* L., *Puccinia tetragoniae* var. *austroafricana*, Mennicken et al. (2005c)
45. *Tetragonia reduplicata* Welw. ex Oliv., *Puccinia galeniae*, Mennicken et al. (2005c)
46. *Tetragonia tetragonoides* (Pallas) Kuntze (= *Tetragonia expansa* Murray), *Puccinia tetragoniae* var. *austroafricana*, Doidge (1950), Laundon (1963b), Masuka et al. (1998)
47. *Tetragonia* sp., *Puccinia galeniae*, Mennicken et al. (2005c); *Puccinia tetragoniae* var. *austroafricana*, Mennicken et al. (2005c), Berndt (2009)

Amaranthaceae (including Chenopodiaceae)

48. *Bassia salsoloides* (Fenzl) A.J.Scott (= *Kochia pubescens* Moq., *Kochia salsoloides* Fenzl.), *Uromyces* cf. *chenopodii*, Jørstad (1956)
49. **Beta vulgaris* L., *Uromyces betae*, Doidge (1950)
50. *Salsola* sp., *Uredo* sp., Mennicken and Oberwinkler (2004)
51. *Pupalia lappacea* (L.) A.Juss., *Puccinia aristidae* var. *chaeteriae* (= *Aecidium pupaliae*), Laundon (1963), Gjørsum (1995)

Amaryllidaceae (including Alliaceae)

52. **Allium ampeloprasum* L. (= *Allium porrum* L.), *Puccinia porri*, McTaggart et al. (2017)
53. **Allium cepa* L., *Puccinia allii*, Masuka et al. (1998)
54. **Allium fistulosum* L., *Puccinia porri*, Boshoff et al. (2024)

55. *Allium synnotia* G.Don (= *Allium dregeanum* Kunth), *Puccinia allii*, Doidge (1950)
56. **Allium sativum* L., *Puccinia allii*, Doidge (1950), Jørstad (1956), Masuka et al. (1998)
57. *Brunsvigia radulosa* Herb. (= *Brunsvigia cooperi* Baker, as '*Brunswigia*'), *Aecidium brunsvigiae*, Doidge (1950)
58. *Brunsvigia* sp. (as '*Brunswigia*'), *Aecidium brunsvigiae*, Doidge (1950), Laundon (1963)
59. *Crinum bulbispermum* (Burm.f.) Milne-Redh. & Schweick. (= *Crinum longifolium* (L.) Thunb.), *Aecidium crini*, Doidge (1950), Laundon (1963)
60. *Crinum stuhlmannii* Baker (= *Crinum forbesianum* Herb., *Crinum delagoense* I.Verd.), *Aecidium crini*, Doidge (1950), Laundon (1963)
61. *Crinum moorei* Hook.f., *Aecidium crini*, Doidge (1950), Laundon (1963)
62. *Crinum* sp., *Aecidium crini*, Doidge (1950), Masuka et al. (1998)
63. *Cyrtanthus angustifolia* (L.f.) Aiton, *Aecidium crini*, Doidge (1950)
64. *Haemanthus coccineus* L., *Uromyces badius*, Doidge (1950), Laundon (1963), Wood (2002a)
65. *Haemanthus pubescens* L.f., *Uromyces badius*, Wood (2002a)
66. *Haemanthus pumilio* Jacq., *Uromyces badius*, Doidge (1950)
67. *Haemanthus sanguineus* Jacq. (= *H. rotundifolius* Ker Gawl.), *Uromyces badius*, Doidge (1950)
68. *Strumaria gemmata* Ker Gawl., *Uromyces strumariae*, Wood (2002a)

Anacardiaceae

69. *Lannea discolor* (Sond.) Engl., *Uredo rhoina*, Doidge (1950), Masuka et al. (1998)
70. *Searsia* sp. (= *Rhus* sp.), *Uromyces barbeyanus*, Doidge (1950)

Annonaceae

71. *Artabotrys monteiroae* Oliv., *Sphaerophragmium artabotrydis*, Beenken and Berndt (2010), Doidge (1950) (as Annonaceae undet.), Lohsomboom et al. (1994)
72. *Monanthotaxis afra* (Sond.) Verdc. (= *Popowia afra* Benth.), *Puccorchidium popowiae*, Beenken and Wood (2015), Doidge (1950)
73. *Uvaria lucida* Benth. subsp. *virens* (N.E.Br.) Verde., *Sphaerophragmium gerstneri*, Baxter (1959), Beenken & Berndt (2010), Doidge (1950), Wood (2006).

Apiaceae

74. *Alepidea amatymbica* Eckl. & Zeyh., *Aecidium albilabrum*, Doidge (1950)
75. *Alepidea capensis* (P.J.Bergius) R.A.Dyer, *Aecidium albilabrum*, Doidge (1950)
76. *Alepidea serrata* Eckl. & Zeyh., *Aecidium albilabrum*, Doidge (1950)
77. *Alepidea* sp., *Puccinia alepideae*, Doidge (1950)
78. *Cynorhiza typica* Eckl. & Zeyh. (= *Peucedanum typicum* (Eckl. & Zeyh.) B.L.Burt, *Peucedanum olifantianum* (Koso-Pol.) M.Hiroe, *Peucedanum zeyheri* Sond.), *Uromyces heteromorphae*, Doidge (1950)
79. **Eryngium planum* L., *Puccinia* sp., Masuka et al. (1998)
80. *Heteromorpha arborescens* (Thunb.) Cham. & Schltdl. var. *arborescens*, *Uromyces heteromorphae*, Doidge (1950)
81. *Heteromorpha arborescens* (Thunb.) Cham. & Schltdl. var. *abyssinica* (A.Rich.) H.Wolff (= *Heteromorpha trifoliata* (H.L.Wendl.) Eckl. & Zeyh.), *Uromyces heteromorphae*, Doidge (1950)
82. *Heteromorpha involucrata* Conrath, *Uromyces heteromorphae*, Doidge (1950)
83. *Heteromorpha pubescens* Burt Davy, *Uromyces heteromorphae*, Doidge (1950)
84. *Heteromorpha stenophylla* Welw. ex. Schinz. var. *transvaalensis* (Schltr. & H.Wolff) P.Winter (= *Heteromorpha transvaalensis* Schltr. & H.Wolff), *Uromyces heteromorphae*, Doidge (1950)
85. *Notobubon laevigatum* (Aiton) Magee (= *Peucedanum capense* (Thunb.) Sond.), *Uromyces heteromorphae*, Doidge (1950)
86. *Notobubon galbanum* (L.) Magee (= *Peucedanum galbanum* (L.) Drude), *Uromyces heteromorphae*, Doidge (1950)
87. *Notobubon gummiferum* (L.) Magee (= *Ruthea gummifera* (L.) Bolle., *Peucedanum gummiferum* (L.) Wijnands), *Uredo gliae*, Doidge (1950)
88. *Peucedanum* sp., *Uromyces fiorianus*, Doidge (1950)
89. *Polemannia grossulariifolia* Eckl. & Zeyh., *Uromyces polemanniae*, Doidge (1950)
90. *Polemannia montana* Schltr. & H.Wolff, *Uromyces polemanniae*, Doidge (1950)

Apocynaceae (including Asclepiadaceae, Periplocaceae)

91. *Asclepias albens* (E.Mey.) Schltr., *Puccinia pachycarpi*, Doidge (1950)
92. *Cryptolepis capensis* Schltr., *Uredo cryptolepidis*, Doidge (1950)
93. *Cryptolepis oblongifolia* (Meisn.) Schltr. (= *Ectadiopsis oblongifolia* (Meisn.) B.D.Jacks.), *Hemileia ectadiopsidis*, Doidge (1950)
94. *Cryptolepis obtusa* N.E.Br., *Uredo cryptolepidis*, Doidge (1950)

95. *Gomphocarpus fruticosa* (L.) W.T.Aiton (= *Asclepias fruticosa* L.), *Uredo asclepiadis-fruticulosae*, Doidge (1950)
96. *Landolphia camptoloba* (K.Schum.) Pichon (= *Carpodinus leucantha* K.Schum, as 'leucanthus'), *Uredo carpodini*, Doidge (1950)
97. *Mondia whitei* (Hook.f.) Skeels, *Hemileia chlorocodonis*, McTaggart et al. (2017)
98. *Pachycarpus grandiflorus* (L.f.) E.Mey., *Puccinia pachycarpi*, Doidge (1950)
99. *Pachycarpus schinzianus* (Schltr.) N.E.Br., *Puccinia schlechteri*, Doidge (1950)
100. **Plumeria* sp., *Coleosporium plumeriae*, [this publication](#)
101. *Tabernaemontana elegans* Stapf (= *Conopharyngia elegans* (Stapf.) Stapf.), *Puccinia callistea*, Doidge (1950)
102. *Tabernaemontana ventricosa* Hochst. ex A.DC. (= *Conopharyngia ventricosa* (Hochst. ex A.DC.) Stapf.), *Puccinia cookei*, Doidge (1950)
103. *Voacanga thouarsii* Roem. & Schult., *Puccinia callistea*, Doidge (1950)

Araceae

- **Colocasiasculenta* (L.) Schott, *Puccinia* sp., Masuka et al. (1998)
104. *Stylochaeton natalensis* Schott. (as 'Stylochiton'), *Uromyces stylochitonis*, Doidge (1950)
 105. *Zantedeschia albomaculata* (Hook) Baill. (= *Zantedeschia angustiloba* (Schott) Engl.), *Uromyces hessii*, Berndt (2020)

Araliaceae

106. *Cussonia arborea* Hochst. ex Rich., *Aecidium cussoniae*, Gjærsum (1995)
107. *Cussonia spicata* Thunb., *Aecidium cussoniae*, Doidge (1950)
108. *Cussonia* sp., *Uredo cussoniae*, Doidge (1950)
109. *Hydrocotyle bonariensis* Lam., *Puccinia hydrocotyles*, Doidge (1950)
110. *Hydrocotyle verticillata* Thunb., *Puccinia hydrocotyles*, Doidge (1950)
111. *Hydrocotyle* sp., *Puccinia hydrocotyles*, Doidge (1950)

Asparagaceae (including Agavaceae, Anthericaceae, Dracaenaceae, Eriospermaceae, Hyacinthaceae)

- **Agave americana* L., *Melampsora* sp., Masuka et al. (1998) [this is a misidentification, there are no species of Melampsora known from Agave](#)
112. *Albuca aurea* Jacq., *Uromyces albucae*, Doidge (1950)
 113. *Albuca barbata* (Jacq.) J.C.Manning & Goldblatt (= *Ornithogalum barbatum* Jacq.), *Uromyces maireanus*, Doidge (1950)

114. *Albuca canadensis* (L.) F.M.Leight. (= *Albuca altissima* Dryand., *Albuca minor* L.), *Uromyces albucae*, Doidge (1950)
115. *Albuca juncifolia* Baker, *Uromyces albucae*, Lagerheim (1889), Doidge (1950)
116. *Albuca roodeae* (E.Phillips) J.C.Manning & Goldblatt (= *Ornithogalum roodeae* E.Phillips), *Uromyces maireanus*, Doidge (1950)
117. *Albuca virens* (Lindl.) J.C.Manning & Goldblatt. (= *Ornithogalum ecklonii* Schltdl., *Ornithogalum flavovirens* Baker, *Ornithogalum virens* Lindl.), *Puccinia hordei* (= *Aecidium ornithogaleum*), Doidge (1950); *Uromyces maireanus*, Doidge (1950); *Puccinia ornithogali-thyrsoideis*, Doidge (1950)
118. *Albuca* sp., *Uromyces albucae*, Doidge (1950)
119. *Asparagus aethiopicus* L., *Puccinia phyllocladiae*, Doidge (1950) (= *Aecidium capense*), Wood (2006)
120. *Asparagus alopecurus* (Oberm.) Malcomber & Sebsebe (= *Myrsiphyllum alopecurum* Oberm.), *Puccinia myrsiphylli*, Kleinjan et al. (2004)
121. *Asparagus asparagoides* (L.) Druce (= *Myrsiphyllum asparagoides* (L.) Willd.), *Puccinia myrsiphylli*, Doidge (1950), Kleinjan et al. (2004)
122. *Asparagus cooperi* Baker, *Puccinia* cf. *asparagi*, Doidge (1950)
123. *Asparagus densiflorus* (Kunth) Jessop (= *Asparagus sarmentosus* auct. non. L.), *Puccinia phyllocladiae*, Doidge (1950)
124. *Asparagus falcatus* L., *Puccinia phyllocladiae*, Doidge (1950)
125. *Asparagus kraussianus* (Kunth) J.F.Macbr. (= *Myrsiphyllum kraussianum* Kunth), *Puccinia myrsiphylli*, Kleinjan et al. (2004) **host identification uncertain**
126. *Asparagus laricinus* Burch., *Puccinia ranulipes*, Doidge (1950)
127. **Asparagus officinalis* L., *Puccinia asparagi*, Gorter (1982)
128. *Asparagus ovatus* T.M.Salter (= *Myrsiphyllum ovatum* (T.M.Salter) Oberm.), *Puccinia myrsiphylli*, Kleinjan et al. (2004)
129. *Asparagus plumosus* Baker, *Puccinia* cf. *asparagi*, Doidge (1950)
130. *Asparagus undulatus* (L.f.) Thunb. (= *Myrsiphyllum undulatum* (L.f.) Schltdl. ex Kunth), *Puccinia myrsiphylli*, Kleinjan et al. (2004) **host identification uncertain**
131. *Asparagus volubilis* Thunb. (= *Myrsiphyllum volubile* (Thunb.) Oberm.), *Puccinia myrsiphylli*, Kleinjan et al. (2004)
132. *Asparagus* sp. nov., *Puccinia myrsiphylli*, Kleinjan et al. (2004)
133. *Asparagus* sp., *Puccinia ranulipes*, Masuka et al. (1998)
134. *Asparagus* sp., *Puccinia phyllocladiae*, Wood (2006)
135. *Chlorophytum comosum* (Thunb.) Jacq., *Aecidium hartwegiae*, Doidge (1950)
136. *Chlorophytum crassinerve* (Baker) Oberm., *Puccinia polycampta*, Mennicken & Oberwinkler (2004)
137. *Chlorophytum graminifolium* (Willd.) Kunth, *Puccinia polycampta*, PREM 60610

138. *Chlorophytum pauper* Poelin., *Aecidium hartwegiae*, Masuka et al. (1998)
139. *Chlorophytum* sp., *Aecidium hartwegiae*, Doidge (1950)
140. *Dipcadi longifolium* (Lindl.) Baker, *Uromyces muscari*, Masuka et al. (1998)
141. *Dipcadi viride* (L.) Moench., *Aecidium dipcadi-viridis*, Doidge (1950); *Uromyces muscari*, Masuka et al. (1998)
142. *Drimia altissima* (L.f.) Ker Gawl. (= *Urginea altissima* (L.f.) Baker), *Puccinia kalchbrenneriana*, Doidge (1950); *Uromyces saginatus*, Doidge (1950), Masuka et al. (1998)
143. *Drimia excuviata* (Jacq.) Jessop (= *Urginea exuviata* (Jacq.) Steinh.), *Uromyces stellenbossiensis*, Doidge (1950)
144. *Drimia pusilla* Jacq., *Puccinia kalchbrenneriana*, Doidge (1950) (as *Puccinia drimiae*)
145. *Drimia* sp. (= *Urginea* sp.), *Aecidium urgineae*, Doidge (1950); *Uromyces saginatus*, Doidge (1950)
146. *Drimiopsis maculata* Lindl. & Paxton, *Uromyces drimiopsidis*, Doidge (1950)
147. *Eriospermum cernuum* Baker, *Uromyces eriospermi*, Doidge (1950)
148. *Eriospermum dissitiflorum* Schltr., *Uromyces eriospermi*, Doidge (1950)
149. *Eriospermum graminifolium* A.V.Duthie, *Uromyces eriospermi*, Doidge (1950)
150. *Eriospermum lanceifolium* Jacq., *Uromyces eriospermi*, Doidge (1950)
151. *Eriospermum mackenii* (Hook.f.) Baker, *Uromyces eriospermi*, Doidge (1950)
152. *Eriospermum parvifolium* Jacq., *Uromyces eriospermi*, Doidge (1950)
153. *Eriospermum pubescens* Jacq., *Uromyces eriospermi*, Doidge (1950)
154. *Eriospermum* spp., *Uromyces eriospermi*, Doidge (1950), Masuka et al. (1998)
155. *Eucomis* sp., *Puccinia amadelpha*, Doidge (1950)
156. Host undetermined! (= *Anthericum*?), *Aecidium antherici*, Doidge (1950) *species previously placed in Anthericum are now placed in various genera, thus the host identity is uncertain*
157. Host undetermined! (*Chlorophytum*?), *Uromyces bylianus*, Doidge (1950)
158. Host undetermined! (*Chlorophytum*?), *Uromyces krantzbergensis*, Doidge (1950)
159. Host undetermined! (*Dracaena*?), *Uromyces holubii*, Doidge (1950)
160. Host undetermined! *Uromyces purpureus*, Lagerheim (1889)
161. *Lachenalia aloides* (L.f.) Engl. (= *Lachenalia tricolor* Thunb.), *Uromyces lachenaliae*, Doidge (1950)
162. *Lachenalia bulbifera* (Cirillo) Engl. (= *Lachenalia pendula* Aiton), *Uromyces lachenaliae*, Doidge (1950)
163. *Lachenalia ensifolia* (Thunb.) J.C.Manning & Goldblatt (= *Polyxena ensifolia* (Thunb.) Schönland), *Uromyces lachenaliae*, Doidge (1950)

164. *Lachenalia orchiioides* (L.) Aiton, *Uromyces lachenaliae*, Doidge (1950)
165. *Lachenalia pallida* Aiton (= *Lachenalia pustulata* Jacq., *Lachenalia unicolor* Jacq.), *Uromyces lachenaliae*, Doidge (1950), Jørstad (1956)
166. *Lachenalia reflexa* Thunb., *Uromyces lachenaliae*, Doidge (1950), Jørstad (1956)
167. *Lachenalia unifolia* Jacq., *Uromyces lachenaliae*, Doidge (1950), Jørstad (1956)
168. *Lachenalia* sp., *Uromyces lachenaliae*, Doidge (1950), Jørstad (1956)
169. *Ledebouria cooperi* (Hook.f.) Jessop (= *Scilla saturata* Baker), *Aecidium doidgei*, Doidge (1950)
170. *Ledebouria undulata* (Jacq.) Jessop (= *Scilla prasina* Baker), *Uromyces circinalis*, Doidge (1950)
171. *Massonia depressa* Houtt. (= *Massonia latifolia* L.f.), *Uromyces massoniae*, Doidge (1950)
172. *Massonia pustulata* Jacq., *Uromyces massoniae*, PREM 59067, 59068
173. *Ornithogalum dubium* Houtt. (= *Ornithogalum aureum* Curtis), *Puccinia ornithogali-thyrsoides*, Doidge (1950)
174. *Ornithogalum pilosum* L.f., *Puccinia ornithogali-thyrsoides*, Doidge (1950)
175. *Ornithogalum thyrsoides* Jacq., *Puccinia ornithogali-thyrsoides*, Doidge (1950), Masuka et al. (1998)
176. *Ornithogalum* sp., *Uromyces maireanus*, Doidge (1950)
177. *Veltheimia capensis* (L.) DC., *Uromyces lachenaliae*, PREM 59060

Aspleniaceae

178. *Asplenium aethiopicum* (Burm.f.) Bech., *Milesia* cf. *magellanica*, Berndt (2008b)
179. *Asplenium rutifolium* (P.J.Bergius) Kunze, *Milesia* cf. *magellanica*, Berndt (2008b)

Asphodelaceae

180. *Aloe arborescens* Mill., *Uromyces aloës*, Doidge (1950)
181. *Aloe ferox* Mill., *Uromyces aloës*, Doidge (1950)
182. *Aloe grandidentata* Salm-Dyck, *Uromyces aloës*, Doidge (1950)
183. *Aloe greatheadii* Schonl. var. *greatheadii*, *Uromyces aloës*, Doidge (1950), Gjørsum (1995)
184. *Aloe greatheadii* Schonl. var. *davyana* (Schonl.) Glen & Hardy (= *Aloe barbertoniae* Pole Evans, *Aloe davyana* Schonl.), *Uromyces aloës*, Doidge (1950)
185. *Aloe greenii* Baker, *Uromyces aloës*, Doidge (1950)
186. *Aloe maculata* All. (= *Aloe latifolia* (Haw.) Haw., *Aloe saponaria* (Aiton.) Haw.), *Uromyces aloës*, Doidge (1950)

187. *Aloe marlothii* A.Berger subsp. *marlothii*, *Uromyces aloës*, Doidge (1950)
188. *Aloe striata* Haw. subsp. *striata*, *Uromyces aloës*, Doidge (1950)
189. *Aloe succotrina* Lam. (= *Aloe purpureascens* (Aiton) Haw.), *Uromyces aloës*, Doidge (1950)
190. *Aloe thraksii* Baker, *Uromyces aloës*, Doidge (1950)
191. *Aloe zebrina* Baker (= *Aloe baumii* Engl. & Gilg., *Aloe transvaalensis* Kuntze), *Uromyces aloës*, Doidge (1950)
192. *Aloe* spp., *Uromyces aloës*, Doidge (1950), Masuka et al. (1998)
193. *Bulbine aloöides* (L.) Willd., *Aecidium bulbinis*, Doidge (1950); *Uromyces bulbinis*, Doidge (1950)
194. *Bulbine asphodeloides* (L.) Spreng., *Aecidium bulbinis*, Doidge (1950)
195. *Bulbine favosa* (Thunb.) Schult. & Schult.f., *Aecidium bulbinis*, Doidge (1950)
196. *Bulbine latifolia* (L.f.) Schult. & Schult.f., *Uromyces bulbinis*, Doidge (1950)
197. *Bulbine narcissifolia* Salm-Dyck, *Aecidium bulbinis*, Doidge (1950)
198. *Bulbine praemorsa* (Jacq.) Spreng., *Uromyces bulbinis*, Doidge (1950)
199. *Bulbinella nutans* (Thunb.) Dur. & Schinz (= *Bulbinella robusta* Kunth), *Puccinia contecta*, Doidge (1950) Jørstad (1956) lists *P. contecta* on '*Anthericum* sp.', but as this host can't be identified with certainty, it is possible that it is a *Bulbinella*
200. *Haworthia mucronata* Haw. (= *Haworthia altilinea* Haw.), *Uromyces aloës*, Doidge (1950)
201. *Haworthia reinwardtii* (Salm-Dyck) Haw., *Uromyces aloës*, Doidge (1950)
202. *Haworthia retusa* (L.) Duval, *Uromyces aloës*, Doidge (1950)
203. *Haworthia* spp., *Uromyces aloës*, Doidge (1950)
204. **Hemerocallis* sp., *Puccinia hemerocallidis*, Mostert et al. (2008)
205. *Trachyandra ciliata* (L.f.) Kunth (= *Anthericum ciliatum* L.f.), *Puccinia polycampta*, Doidge (1950)
206. *Trachyandra hispida* (L.) Kunth (= *Anthericum hispidum* L.), *Puccinia polycampta*, Doidge (1950)
207. *Trachyandra muricata* (L.f.) Kunth, *Puccinia polycampta*, PREM 59033, 60611
208. *Trachyandra revoluta* (L.) Kunth (= *Anthericum revolutum* L.), *Puccinia polycampta*, Doidge (1950)
209. *Trachyandra* sp., *Puccinia polycampta*, Doidge (1950), Mennicken & Oberwinkler (2004) Doidge (1950) lists *Anthericum longepedunculatum* Steud. ex Roem. & Schult. (as '*longipedunculatum*') as a host but this is an unresolved name

Asteraceae

210. *Amellus alternifolius* Roth. subsp. *alternifolius*, *Puccinia lagenophorae*, Scholler et al. (2011)
211. *Amellus alternifolius* Roth. subsp. *angustissimus* (DC.) Rommel, *Puccinia lagenophorae*, Scholler et al. (2011)
212. *Amellus asteroides* (L.) Druce subsp. *asteroides*, *Puccinia lagenophorae*, Scholler et al. (2011)
213. *Amellus asteroides* (L.) Druce subsp. *mollis* Rommel, *Puccinia lagenophorae*, Scholler et al. (2011)
214. *Amellus coilopodius* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
215. *Amellus flosculosus* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
216. *Amellus microglossus* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
217. *Amellus nanus* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
218. *Amellus strigosus* (Thunb.) Less. subsp. *strigosus*, *Puccinia lagenophorae*, Scholler et al. (2011)
219. *Amellus strigosus* (Thunb.) Less. subsp. *pseudoscarbridus* Rommel, *Puccinia lagenophorae*, Scholler et al. (2011)
220. *Amellus tenuifolius* Burm., *Puccinia lagenophorae*, Scholler et al. (2011)
221. *Amellus tridactylus* DC. subsp. *olivaceus* Rommel, *Puccinia lagenophorae*, Scholler et al. (2011)
222. *Arctotheca calendula* (L.) Levyns, *Puccinia lagenophorae*, Scholler et al. (2011)
223. *Arctotheca populifolia* (P.J.Bergius) Norl., *Puccinia lagenophorae*, Scholler et al. (2011)
224. *Arctotis fastuosa* Jacq., *Puccinia lagenophorae*, Scholler et al. (2011)
225. *Artemisia afra* Jacq. ex Willd., *Puccinia tanacetii*, Doidge (1950), Jørstad (1956)
226. *Aspilia mossambicensis* (Oliv.) Wild, *Aecidium aspiliae*, Gjørsum (1995)
227. *Aster bakerianus* Burt Davy ex C.A.Sm., *Aecidium woodianum*, Doidge (1950); *Puccinia feliciae*, Doidge (1950)
228. *Aster peglerae* Bolus, *Aecidium woodianum*, Doidge (1950)
229. *Berkheya bipinnatifida* (Harv.) Roessler subsp. *bipinnatifida*, *Puccinia berkheyaephila*, Berndt (2010)
230. *Berkheya decurrens* (Thunb.) Willd. (= *Stobaea membranifolia* DC. as 'Stobaea'), *Puccinia stobaeae*, Berndt (2010), Doidge (1950); *Puccinia stobaeae* var. *woodii*, Berndt (2010)
231. *Berkheya discolor* (DC.) O.Hoffm. & Muschl. (= *Berkheya kuntzei* O.Hoffm.), *Puccinia stobaeae*, Doidge (1950)
232. *Berkheya insignis* (Harv.) Thell. (= *Stobaea insignis* Harv., as 'Stobaea'), *Puccinia garstfonteinii*, Berndt (2010), Doidge (1950) (as *Puccinia stobaeae*)

233. *Berkheya latifolia* Wood & Evans, *Puccinia stobaeae*, Berndt (2010), Doidge (1950)
234. *Berkheya montana* J.M.Wood & M.S.Evans, *Puccinia stobaeae* var. *woodii*, Berndt (2010)
235. *Berkheya pinnatifida* (Thunb.) Thell. (= *Stobaea epitrachys* DC., as ‘*Stoboea*’), *Puccinia clanwilliamensis*, Berndt (2010) (as *Puccinia stobaeae* var. *woodii*, Doidge (1950)
236. *Berkheya rhapontica* (DC.) Hutch & Burt Davy, *Puccinia stobaeae* var. *woodii*, PREM 58372
237. *Berkheya seminivea* Harv. & Sond., *Puccinia berkheyaephila*, Berndt (2010) (as *Puccinia stobaeae* var. *woodii*, Doidge (1950)
238. *Berkheya setifera* DC., *Puccinia berkheycicola*, Berndt (2010), Doidge (1950); *Puccinia stobaeae* var. *woodii*, Doidge (1950)
239. *Berkheya speciosa* (DC.) O.Hoffm., *Puccinia stobaeae*, Berndt (2010), Doidge (1950); *Puccinia stobaeae* var. *woodii*, Berndt (2010),
240. *Berkheya umbellata* DC., *Puccinia stobaeae* var. *woodii*, Berndt (2010), Doidge (1950)
241. *Berkheya* sp., *Puccinia clanwilliamensis*, Berndt (2010) (as *Puccinia stobaeae* in part, Doidge (1950)
242. *Berkheya* sp., *Puccinia monsfontium*, Berndt (2010) (as *Puccinia stobaeae* in part, Doidge (1950)
243. *Berkheya* sp., *Puccinia stobaeae*, Doidge (1950)
244. *Berkheya* sp., *Puccinia stobaeae* var. *woodii*, Doidge (1950)
245. **Bidens pilosa* L., *Uromyces bidenticola*, Doidge (1950) (as *Uromyces bidentis*), Masuka et al. (1998), Berndt & Uhlmann (2006)
246. *Brachylaena discolor* DC., *Crossopsora brachylaenae*, Doidge (1950)
247. *Brachylaena elliptica* (Thunb.) DC., *Crossopsora brachylaenae*, Doidge (1950)
248. *Brachylaena huillensis* O.Hoffm., *Crossopsora brachylaenae*, PREM 59767
249. *Brachylaena neriifolia* (L.) R.Br., *Crossopsora brachylaenae*, Doidge (1950)
250. *Brachylaena transvaalensis* E.Phillips & Schweinck (= *Brachylaena discolor* DC. subsp. *transvaalensis* (Phill. & Schweick.) J.Paiva), *Crossopsora brachylaenae*, Doidge (1950)
251. *Brachylaena rotundata* S.Moore, *Crossopsora brachylaenae*, Doidge (1950)
252. *Brachylaena* sp., *Crossopsora brachylaenae*, Doidge (1950)
253. **Campuloclinium macrocephalum* (Less.) DC., *Puccinia eupatorii*, Retief et al. (2016)
254. **Calendula officinalis* L., *Puccinia lagenophorae*, Wager (1972)
255. **Carthamus tinctorius* L., *Puccinia carthami*, Masuka et al. (1998)

256. *Castalis spectabilis* (Schltr.) Norl., *Puccinia dimorphothecae*, Doidge (1950)
257. **Centaurea cyanus* L., *Puccinia cyani*, Doidge (1950)
258. *Chrysanthemoides incana*, (Burm.f.) Norl., *Endophyllum osteospermi*, Wood & Crous (2005a).
259. *Chrysanthemoides monilifera* (L.) T.Norl. subsp. *canescens* (DC.) Norl., *Endophyllum osteospermi*, Wood & Crous (2005a).
260. *Chrysanthemoides monilifera* (L.) T.Norl. subsp. *monilifera* (= *Osteospermum monilifera* L., as 'moniliforme'), *Endophyllum osteospermi*, Doidge (1950), Morris (1982b), Wood (1997), Wood & Crous (2005a).
261. *Chrysanthemoides monilifera* (L.) T.Norl. subsp. *pisifera* (L.) Norl., *Endophyllum osteospermi*, Wood & Crous (2005a).
262. *Chrysanthemoides monilifera* (L.) T.Norl. subsp. *rotundata* (L.) Norl., *Endophyllum osteospermi*, Wood & Crous (2005a).
263. *Chrysanthemoides monilifera* (L.) T.Norl. subsp. *subcanescens* (L.) Norl., *Endophyllum osteospermi*, Wood & Crous (2005a).
264. *Chrysanthemoides* sp. nov., *Endophyllum osteospermi*, Wood & Crous (2005a).
265. **Chrysanthemum coronarium* L., *Puccinia chrysanthemi*, PREM 58685
266. **Chrysanthemum morifolium* Ramat, *Puccinia horiana*, Gorter (1977); *Puccinia chrysanthemi*, Doidge (1950), Masuka et al. (1998)
267. **Cichorium intybus* L., *Puccinia hieracii*, Doidge (1950), Masuka et al. (1998)
268. *Conyza limosa* O.Hoffm., *Aecidium hoffmannii*, Doidge (1950)
269. *Conyza pinnata* (L.f.) Kuntze, *Aecidium conyzae-pinnatilobatae*, Doidge (1950)
270. *Conyza podocephala* DC., *Aecidium conyzae-pinnatilobatae*, Doidge (1950)
271. *Conyza scabrida* DC. (host previously incorrectly identified as *Erigeron ivifolius* Sch.Bip. (= *Conyza ivifolia* (L.) Less., a synonym of *Erigeron bonariensis* L.), *Endophyllum conyzae-scabridae*, Doidge (1950), Wood (2004), [this publication](#)
272. *Conyza ulmifolia* Kuntze, *Endophyllum conyzae-scabridae*, Doidge (1950), [this publication](#)
273. *Culmia squarrosa* (L.) R.Br., *Puccinia* cf. *clanwilliamensis*, Berndt (2020)
274. *Delairea odorata* Lem. (= *Senecio mikanioides* Otto ex Walp.), *Aecidium dubiosum*, Doidge (1950)
275. *Denekia capensis* Thunb., *Aecidium denekiae*, Doidge (1950)
276. *Dimorphotheca cuneata* (Thunb.) Less., *Endophyllum dimorphothecae*, Wood & Crous (2005a); *Puccinia dimorphothecae-cuneatae*, Berndt (2020)
277. *Dimorphotheca pluvialis* (L.) Moench, *Puccinia lagenophorae*, Scholler et al. (2011)
278. *Dimorphotheca sinuata* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
279. *Dimorphotheca spectabilis* Schltr., *Puccinia dimorphothecae*, Doidge (1950)

280. *Dimorphotheca zeyheri* Sond., *Aecidium serrae*, Doidge (1950); *Puccinia dimorphothecae*, Doidge (1950)
281. *Dimorphotheca* sp., *Aecidium serrae*, Doidge (1950)
282. *Distephanus anguilifolius* (DC.) H.Rob. & B.Khan., *Phakopsora vernoniae*, PREM 59762, 60117
283. *Elytropappus rhinocerotis* (L.f.) Less., *Endophyllum elytropappi*, Doidge (1950), Mennicken & Oberwinkler (2004), Wood & Crous (2005a)
284. **Erigeron sumatrensis* Retz. (= *Conyza albida* Willd. ex Spreng.), *Aecidium hoffmannii*, Gjærum (1998), Masuka et al. (1998)
285. *Euryops empetrifolius* DC., *Uromyces euryopsidicola*, Wood & Scholler (2005)
286. *Euryops tenuissimus* (L.) DC., *Uromyces euryopsidicola*, Wood & Scholler (2005)
287. *Felicia filiformis* (Vent.) Burt Davies, *Puccinia feliciicola*, Berndt (2020)
288. *Felicia merxmuelleri* Grau., *Puccinia lagenophorae*, Scholler et al. (2011)
289. *Felicia tenella* (L.) Nees., *Puccinia lagenophorae*, Scholler et al. (2011)
290. *Gazania krebsiana* Less., *Puccinia lagenophorae*, Scholler et al. (2011)
291. *Gerbera ambigua* (Cass.) Sch. (= *Gerbera discolor* Sond., *Gerbera kraussii* Sch.Bip), *Puccinia gerberae*, Doidge (1950)
292. *Gerbera jamesonii* Adlam, *Puccinia gerberae*, Masuka et al. (1998)
293. *Gerbera viridifolia* (DC.) Sch. (= *Gerbera plantaginea* Harv.), *Puccinia gerberae*, Doidge (1950)
294. *Gerbera* sp., *Puccinia gerbericola*, Doidge (1950)
295. **Helianthus annuus* L., *Puccinia helianthi-mollis*, (Doidge (1950), Masuka et al. (1998), Zazzerini et al. (2005) as *P. helianthii*); *Puccinia xanthi*, Pretorius et al. (2000)
296. *Helichrysum acutatum* DC., *Puccinia pienaarii*, Doidge (1950)
297. *Helichrysum cochleariforme* DC., *Puccinia kalchbrenneri*, Mennicken & Oberwinkler (2004)
298. *Helichrysum coriaceum* Harv., *Puccinia kalchbrenneri* var. *valida*, Doidge (1950)
299. *Helichrysum helianthemifolium* (L.) D.Don (= *Helichrysum capitellatum* (Thunb.) Less.), *Puccinia kalchbrenneri*, Doidge (1950)
300. *Helichrysum miconiifolium* DC. (as '*miconiaefolium*'), *Aecidium helichrysi*, Doidge (1950)
301. *Helichrysum noduliflorum* DC., *Phakopsora nyasalandica*, Gjærum (1995), Wood (2006)
302. *Helichrysum nudifolium* (L.) Less. (= *Helichrysum latifolium* (Thunb.) Less., *Helichrysum undatum* (J.F.Gmel.) Less.), *Aecidium helichrysi*, Doidge (1950);

- Puccinia kalchbrenneri*, Doidge (1950); *Puccinia kalchbrenneri* var. *valida*, Doidge (1950)
303. *Helichrysum oxyphyllum* DC., *Puccinia kalchbrenneri*, Doidge (1950)
304. *Helichrysum pallidum* DC., *Puccinia kalchbrenneri*, PREM 56182
305. *Helichrysum pannosum* DC., *Puccinia kalchbrenneri*, Doidge (1950)
306. *Helichrysum petiolare* Hilliard & Burt (= *Helichrysum petiolatum* (L.) DC.), *Aecidium helichrysi*, Doidge (1950); *Puccinia macowani*, Doidge (1950)
307. *Helichrysum pilosellum* (L.f.) Less., *Aecidium helichrysi*, Doidge (1950)
308. *Helichrysum tricostatum* (Thunb.) Less., *Puccinia rocherpaniana*, Mennicken & Oberwinkler (2004)
309. *Helichrysum* sp., *Aecidium helichrysi*, Doidge (1950)
310. *Helichrysum* sp., *Puccinia horti-kirstenboschi*, Berndt & Uhlmann (2006)
311. *Helichrysum* sp., *Puccinia kalchbrenneri*, Gjærum (1998)
312. *Helichrysum* sp., *Puccinia naufraga*, Berndt (2009)
313. *Helichrysum* sp., *Puccinia pienaarii*, Doidge (1950)
314. **Hypochaeris radicata* L., *Puccinia hieracii*, Doidge (1950)
315. *Launaea dregeana* DC., *Puccinia butleri*, Berndt & Uhlmann (2006)
316. *Leysera gnaphalodes* (L.) L., *Endophyllum elytropappi*, Mennicken & Oberwinkler (2004)
317. *Metalasia albescens* Karis, *Endophyllum metalasiae*, Berndt & Wood (2012)
318. *Metalasia dregeana* DC. (incorrectly identified as *M. muricata* (L.) D.Don,) *Endophyllum metalasiae*, Berndt & Wood (2012), Doidge (1950), Wood & Crous (2005a)
319. *Melanthera scadens* (Schumach. & Thonn.) Roberty (incorrectly identified as *M. brownei* Sch.Bip.), *Uromyces melantherae*, Doidge (1950)
320. *Microglossa mespilifolia* (Less.) B.L.Robinson (= *Nidorella mespilifolia* (Less.) DC.), *Puccinia aecidiiformis*, Doidge (1950)
321. *Mikania capensis* DC., *Endophyllum austroafricanum*, [this publication](#); *Dietelia portoricensis* [likely a misidentification, host given as Mikania cordata \(Burm.f.\) Robinson, a misapplied name](#), Whiteside (1966), Rothwell (1983), (Masuka et al. (1998) as *Dietelia* sp.)
322. *Monoculus hyoseroides* (DC.) B.Nord. (= *Tripteris hyoseroides* DC., *Osteospermum hyoseroides* (DC.) Norl.), *Puccinia lagenophorae*, Scholler et al. (2011)
323. *Monoculus monstrosus* (Burm.f.) B.Nord. (= *Tripteris clandestina* Less., *Osteospermum monstrosum* (Burm.f.) J.C.Manning & Goldblatt), *Puccinia lagenophorae*, Scholler et al. (2011)
324. *Nestlera biennis* (Jacq.) Spreng., *Puccinia lagenophorae*, Scholler et al. (2011)

325. *Nidorella auriculata* DC., *Aecidium nidorellae*, Masuka et al. (1998)
326. *Nidorella hottentotica* DC. (= *Nidorella hottentotica* var. *lanata* Harv.), *Aecidium nidorellae*, Doidge (1950)
327. *Norlindhia amplexans* (Harv.) B.Nord. (= *Tripteris amplexans* Harv.), *Puccinia lagenophorae*, Scholler et al. (2011)
328. *Oedera uniflora* (L.f.) Anderb. & K.Bremer, *Endophyllum elytropappi*, PREM 60553
329. *Osteospermum ciliatum* P.J.Bergius, *Endophyllum osteospermi*, Wood & Crous (2005a); *Puccinia lagenophorae*, Scholler et al. (2011)
330. *Osteospermum microcarpa* (Harv.) Norl., *Puccinia lagenophorae*, Scholler et al. (2011)
331. *Osteospermum pinnatum* (Thunb.) T.Norl., *Puccinia lagenophorae*, Scholler et al. (2011)
332. *Osteospermum polygaloides* L., *Endophyllum osteospermi*, Wood & Crous (2005a)
333. *Osteospermum potbergensis* A.R.Wood & B.Nord., *Endophyllum osteospermi*, Wood & Crous (2005a)
334. *Othonna arborescens* L., *Puccinia othonoides*, Berndt & Uhlmann (2006)
335. *Othonna* cf. *coronopifolia* L., *Puccinia othonoides*, Berndt & Uhlmann (2006)
336. *Othonna filicaulis* Jacq., *Puccinia lagenophorae*, Scholler et al. (2011)
337. *Othonna multicaulis* Harv., *Uredo othonnae*, Jørstad (1956)
338. *Othonna natalensis* Sch.Bip., *Puccinia othonnae*, Doidge (1950)
339. *Othonna* cf. *parvifolia* P.J.Bergius, *Puccinia othonoides*, Berndt & Uhlmann (2006)
340. *Othonna quinqueidentata* Thunb., *Puccinia lagenophorae*, Scholler et al. (2011)
341. *Othonna* sp., *Puccinia othonoides*, Berndt & Uhlmann (2006)
342. **Parthenium hysterophorus* L., *Puccinia abrupta* var. *partheniicola*, Wood & Scholler (2002), *Puccinia xanthii* var. *parthenii-hysterophori*, Retief et al. (2013)
343. *Pentzia globosa* Less., *Aecidium pentziae-globosae*, Doidge (1950)
344. *Printzia huttoni* Harv., *Puccinia printziae*, Doidge (1950)
345. *Pteronia divaricata* (P.J.Bergius) Less., *Puccinia pteroniae*, Mennicken & Oberwinkler (2004)
346. *Pteronia* sp., *Puccinia pteroniae*, Mennicken & Oberwinkler (2004)
347. *Relhania fruticosa* (L.) Bremer (= *Relhania ericoides* Cass.), *Aecidium relhaniae*, Doidge (1950)
348. *Rosenia humilis* (Less.) Bremer (= *Nestlera conferta* DC.), *Aecidium nestlerae*, Doidge (1950)

349. *Senecio abruptus* Thunb., *Puccinia lagenophorae*, Scholler et al. (2011)
350. *Senecio arenarius* Thunb., *Puccinia lagenophorae*, Scholler et al. (2011)
351. *Senecio bipinnatus* (Thunb.) Less., *Puccinia lagenophorae*, Doidge (1950)
352. *Senecio burchellii* DC., *Puccinia lagenophorae*, Doidge (1950), Scholler et al. (2011)
353. *Senecio cakilefolius* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
354. *Senecio coronatus* (Thunb.) Harv., *Aecidium moggii*, Doidge (1950)
355. *Senecio deltoideus* Less., *Aecidium anceps*, Doidge (1950)
356. *Senecio discodregeanus* Hilliard & B.L.Burt., *Puccinia lagenophorae*, Scholler et al. (2011)
357. *Senecio elegans* L., *Puccinia lagenophorae*, Scholler et al. (2011)
358. *Senecio halmifolius* L., *Puccinia lagenophorae*, Scholler et al. (2011)
359. *Senecio helminthioides* (Sch.Bip.) Hilliard, *Aecidium dubiosum*, PREM 57338
360. *Senecio inaequidens* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
361. *Senecio inornatus* DC. (= *Senecio fraudulentus* Phill. & C.A.Sm.), *Aecidium permultum*, Doidge (1950)
362. *Senecio laxus* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
363. *Senecio littoreus* Thunb., *Puccinia lagenophorae*, Doidge (1950), Scholler et al. (2011)
364. *Senecio madagascariensis* Poir., *Puccinia lagenophorae*, Morin et al. (2009), Scholler et al. (2011)
365. *Senecio maritimus* L., *Puccinia lagenophorae*, Jørstad (1956), Scholler et al. (2011)
366. *Senecio niveus* (Thunb.) Willd., *Puccinia lagenophorae*, Scholler et al. (2011)
367. *Senecio panduriformis* Hilliard (= *Senecio pandurifolius* Harv.), *Puccinia oedipus*, Doidge (1950)
368. *Senecio pentactinus* Klatt, *Puccinia pentactina*, Doidge (1950)
369. *Senecio pinnulatus* Thunb., *Puccinia lagenophorae*, Doidge (1950)
370. *Senecio pleistocephalus* S.Moore, *Aecidium dubiosum*, Doidge (1950)
371. *Senecio pubigerus* L., *Puccinia lagenophorae*, Scholler et al. (2011)
372. *Senecio quinquelobus* (Thunb.) DC., *Aecidium anceps*, Doidge (1950)
373. *Senecio sisymbriifolius* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
374. *Senecio sophioides* DC., *Puccinia lagenophorae*, Scholler et al. (2011)
375. *Senecio speciosus* Willd. (= *Senecio concolor* DC.), *Aecidium incertum*, Doidge (1950)
376. *Senecio tamoides* DC., *Aecidium dubiosum*, Doidge (1950)
377. **Senecio vulgaris* L., *Puccinia lagenophorae*, Doidge (1950)

378. *Senecio* sp., *Aecidium dubiosum*, Masuka et al. (1998)
379. *Senecio* sp., *Aecidium incertum*, Doidge (1950)
380. *Senecio* spp. (including *Senecio integrifolius* DC., unknown name), *Puccinia lagenophorae*, Doidge (1950)
381. *Senecio* sp., *Puccinia oedipus*, Doidge (1950)
382. **Sonchus oleraceus* L., *Miyagia pseudosphaeria*, Mennicken & Oberwinkler (2004)
383. *Sonchus* sp., *Puccinia liebenbergii*, Doidge (1950)
384. *Spilanthes mauritiana* (A.Rich. ex Pers.) DC. (= *Spilanthes acmella* (L.) Murr. invalid name, *Spilanthes africana* DC.), *Puccinia africana*, Doidge (1950)
385. *Steirodiscus capillaceus* Less., *Puccinia lagenophorae*, Scholler et al. (2011)
386. *Steirodiscus schlechteri* Bolus, *Puccinia lagenophorae*, Scholler et al. (2011)
387. *Steirodiscus tagetes* (L.) Schlechter, *Puccinia lagenophorae*, Scholler et al. (2011)
388. *Stoebe plumosa* (L.) Thunb., *Endophyllum elytropappi*, Wood & Crous (2005a)
389. *Stomatanthes africanus* (Oliv. & Hiern.) R.M.King & H.Robinson, *Aecidium rhodesicum*, Cummins (1960), Masuka et al. (1998)
390. *Tarchonanthus littoralis* P.P.J.Herman, *Crossopsora tarchonanthi*, Mennicken & Oberwinkler (2004)
391. *Ursinia anthemoides* (L.) Poir., *Puccinia ursinae*, Shivas (1991), Mennicken & Oberwinkler (2004)
392. *Vernonia aurantica* (O.Hoffm.) N.E.Br., *Crossopsora perscita*, Cummins (1960)
393. *Vernonia angulifolia* DC., *Puccinia vernoniicola*, Doidge (1950)
394. *Vernonia colorata* (Willd.) Drake ssp *colorata* (= *Vernonia senegalensis* (Pers.) Less.), *Phakopsora vernoniae*, Doidge (1950), Wood (2006)
395. *Vernonia galpinii* Klatt (= *Vernonia monocephala* Harv.), *Aecidium vernoniae-monocephalae*, Doidge (1950); *Puccinia koedoeënsis*, Doidge (1950)
396. *Vernonia glabra* (Steetz) Vatke, *Puccinia le-testui*, Doidge (1950), Masuka et al. (1998)
397. *Vernonia hirsuta* (DC.) Sch.Bip., *Puccinia vernoniae*, Doidge (1950)
398. *Vernonia mespilifolia* Less., *Phakopsora vernoniae*, Wood (2006)
399. *Vernonia myriantha* Hook.f. (= *Vernonia podocoma* Sch.Bip. ex Vatke), *Aecidium vernoniae-podocomae*, Doidge (1950); *Puccinia inflorescenticola*, Doidge (1950)
400. *Vernonia tigna* Klatt (= *Vernonia corymbosa* (L.f.) Less), *Puccinia inflorescenticola*, Doidge (1950)
401. *Vernonia subuligera* O.Hoffm., *Aecidium vernoniae-podocomae*, Masuka et al. (1998)

- 402. *Vernonia wollastonii* S.Moore, *Phakopsora vernoniae*, Wood (2006)
- 403. *Vernonia* sp. (as '*Veronia*'), *Aecidium banketensis*, Doidge (1950)
- 404. *Vernonia* sp., *Puccinia le-testui*, Doidge (1950)
- 405. **Xanthium strumarium* L., *Puccinia xanthii*, Masuka et al. (1998), Pretorius et al. (2000), Ritschel et al. (2007)

Balsaminaceae

- 406. *Impatiens hochstetteri* Warb. subsp. *hochstetteri* (= *Impatiens duthieae* L.Bolus), *Aecidium impatiens-capensis*, Doidge (1950)

Bignoniaceae

- 407. *Kigelia africana* (Lam.) Benth., *Newinia kigeliae*, Gjørnum (1995), Ritschel et al. (2007), [this publication](#)

Blechnaceae

- 408. *Blechnum punctulatum* Sw., *Milesina blechni*, Berndt (2008b)
- 409. *Stenochlaena tenuifolia* (Desv.) T.Moore, *Uredinopsis pteridis*, Berndt (2008b)

Boraginaceae

- 410. *Cynoglossum lanceolatum* Forssk. (= *Cynoglossum micranthum* Desf.), *Aecidium davyi*, Doidge (1950)
- 411. *Cynoglossum* sp. (as *Cynoglossum grande* Dougl., an unresolved name), *Aecidium davyi*, Doidge (1950)
- 412. *Heliotropium steudnerii* Vatke (= *Heliotropium nelsoni* C.H.Wright), *Aecidium heliotropiicola*, Doidge (1950)

Burseraceae

- 413. *Commiphora woodii* Engl. (= *Commiphora caryaefolia* Oliv.), *Uredo balsamodendri*, Doidge (1950), Wood (2006)
- 414. *Commiphora* sp., *Uredo balsamodendri*, Doidge (1950), Wood (2006)

Cannaceae

- 415. **Canna indica* L., *Puccinia cannae*, Van Jaarsveld et al. (2006)

Caprifoliaceae (including Dipsacaceae, Valerianaceae)

- 416. *Cephalaria decurrens* (Thunb.) Roem. & Schult. (= *Cephalaria ustulata* (Thunb.) Roem. & Schult.), *Aecidium cephalariae*, Doidge (1950)

417. *Valeriana capensis* Thunb., *Uromyces valerianae*, Doidge (1950)

Caryophyllaceae

418. **Dianthus barbatus* L., *Uromyces dianthi*, Doidge (1950)
419. **Dianthus caryophyllus* L., *Uromyces dianthi*, Doidge (1950), Masuka et al. (1998)
420. *Dianthus crenatus* Thunb., *Uromyces dianthi*, Doidge (1950)
421. *Dianthus zeyheri* Sond., *Uromyces dianthi*, Doidge (1950)
422. *Dianthus* sp., *Uromyces dianthi*, Doidge (1950)
423. *Drymaria cordata* (L.) Willd. ex Roem. & Schult. subsp. *diandra* (Blume) J.Duke, *Puccinia leptosperma*, Jørstad (1956)
424. *Silene belligioides* Sond., *Puccinia behenis*, PREM 58001, 58389
425. *Silene undulata* Aiton (= *Silene capensis* Otth.), *Puccinia behenis*, Doidge (1950)
426. *Silene* sp., *Puccinia behenis*, Doidge (1950)
427. *Silene* sp., *Uromyces inaequaltus*, Doidge (1950)

Celastraceae

428. *Salacia leptoclada* Tul., *Elateraecium natalense*, Gjørsum & Reid (1983)
429. *Salacia kraussii* (Harv.) Harv., *Elateraecium celastrineae*, Doidge (1950), [this publication](#)

Combretaceae

430. *Combretum apiculatum* Sond., *Phakopsora combretorum*, Berndt & Wood (2012)
431. *Combretum* cf. *engleri* Schinz, *Phakopsora combretorum*, Mennicken et al. (2005a)
432. *Combretum hereoense* Schinz, *Phakopsora combretorum*, Berndt & Wood (2012), Mennicken et al. (2005a)
433. *Combretum molle* R.Br. ex G.Don., *Phakopsora combretorum*, Berndt & Wood (2012)
434. *Combretum platypetalum* Welw. ex M.A.Lawson subsp. *baumii* (Engl. & Gilg) Exell (= *Combretum baumii* Engl. & Gilg), *Uredo longaensis*, Doidge (1950)
435. *Combretum zeyheri* Sond., *Phakopsora combretorum*, Berndt & Wood (2012), Doidge (1950)

Commelinaceae

436. *Aneilema aequinoctiale* (P.Beauv.) Loundon, *Phakopsora tecta*, PREM 59022
437. *Aneilema dregeanum* Kunth, *Phakopsora tecta*, Doidge (1950)
438. *Aneilema* sp., *Uromyces commelinae*, Doidge (1950), Masuka et al. (1998)

439. *Commelina africana* L. var. *africana*, *Uromyces pretoriensis*, Doidge (1950)
440. *Commelina africana* L. var. *krebsiana* (Kunth) C.B. Clarke (= *Commelina krebsiana* Kunth), *Uromyces commelinae*, Doidge (1950)
441. *Commelina benghalensis* L., *Uromyces commelinae*, Doidge (1950), Masuka et al. (1998)
442. *Commelina forskaolii* Vahl, *Uromyces commelinae*, Gjørsum (1995)
443. *Commelina livingstonii* C.B. Clarke, *Uromyces commelinae*, Doidge (1950); *Uromyces pretoriensis*, Ritschel et al. (2007)
444. *Commelina* sp., *Uromyces commelinae*, Doidge (1950)
445. *Commelina* sp., *Phakopsora tecta*, Doidge (1950) the host plant of the type of *Uredo commelinae* Kalchbr. (= *P. tecta*) was misidentified as *Commelina madagascariensis* C.B. Clark by the collector J.M. Wood, but this species does not occur in South Africa. Several species of *Commelina* occur in the area of the type locality, Inanda, therefore the host identity of this type specimen remains uncertain

Convolvulaceae

446. *Dichondra micrantha* Urb. (= *Dichondra repens* Forsk.), *Puccinia dichondrae*, Doidge (1950)
447. *Evolvulus alsinoides* (L.) L., *Puccinia desertorum*, Doidge (1950), Mennicken et al. (2005a)
448. *Hewittia malabarica* (L.) Suresh (= *Hewittia bicolor* (Vahl). Wight & Arn.), *Coleosporium hewittiae*, Doidge (1950)
449. *Ipomoea albivenia* (Lindl.) Sweet., *Puccinia ipomoeae-panduratae*, Doidge (1950)
450. *Ipomoea crassipes* Hook. (= *Ipomoea greenstockii* Randle), *Uromyces greenstockii*, Doidge (1950)
451. *Ipomoea ficifolia* Lindl., *Puccinia holosericea*, Doidge (1950)
452. *Ipomoea mauritiana* Jacq. (misidentified as *Ipomoea paniculata* (L.) R. Brown), *Puccinia batatae*, Doidge (1950)
453. *Ipomoea oenotheroides* (L.f.) Raf. ex Hallier f., *Uromyces ipomoeae*, Doidge (1950)
454. *Ipomoea ommaneyi* Rendle (as 'ommanei'), *Uromyces ipomoeae*, Doidge (1950)
455. *Ipomoea transvaalensis* A. Meeuse (= *Ipomoea convulvuloides* Harrier f.), *Uromyces ipomoeae*, Doidge (1950)
456. cf. *Ipomoea verbascoides* Choisy, *Uromyces otaviensis*, Mennicken et al. (2005a)
457. *Ipomoea wightii* (Wall.) Choisy, *Puccinia holosericea*, Doidge (1950)
458. *Ipomoea* sp., *Puccinia holosericea*, Doidge (1950)

459. *Merremia bipinnatipartia* (Engl.) Hallier f. (= *Ipomoea bipinnatipartia* Engl.), *Uromyces comptus*, Doidge (1950), Mennicken et al. (2005a)

Crassulaceae

460. *Crassula spathulata* Thunb., *Puccinia exanthematica*, Doidge (1950)

Cucurbitaceae

461. *Coccinia grandis* (L.) Voigt. (= *Coccinia indica* Wight & Arn., illegitimate name), *Puccinia cephalandrae*, Doidge (1950) **host probably misidentified**
462. *Coccinia palmata* (Sond.) Cogn., *Puccinia cephalandrae*, Doidge (1950)
463. *Coccinia quinqueloba* (Thunb.) Cogn., *Puccinia cephalandrae*, Berndt (2007), Doidge (1950)
464. *Coccinia rehmannii* Cogn., *Puccinia windhoekensis*, Mennicken et al. (2005a)
465. *Coccinia sessilifolia* (Sond.) Cogn., *Puccinia cephalandrae*, Doidge (1950)
466. *Coccinia* sp., *Puccinia cephalandrae*, Doidge (1950)
467. *Cucumis anguriae* L., *Puccinia cucumeris*, Berndt (2007)
468. **Cucumis sativus* L., *Puccinia cephalandrae*, Gorter (1982)
469. *Cucumis* sp., *Puccinia cephalandrae*, Doidge (1950)
470. *Dactyliandra welwitschii*, *Puccinia antennata* Berndt (2007)
471. *Kedrostris africana* (L.) Cogn. (= *Kedrostris punctulata* (Sond.) Cogn.), *Puccinia arbor-miraculensis*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*)
472. *Momordica balsamina* L., *Puccinia arbor-miraculensis*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*) **the host plant may be misidentified, it may be *Kedrostris africana***
473. *Momordica foetida* Schumach. (= *Momordica cordifolia* E.Mey. ex Sond.), *Puccinia momordicae*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*), Masuka et al. (1998) (as *Puccinia cephalandrae*)
474. *Trochomeria macrocarpa* (Sond.) Hook.f. subsp. *macrocarpa*, *Puccinia trochomeriae*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*)
475. *Trochomeria sagittata* (Harv. ex Sond.) Cogn., *Puccinia trochomeriae*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*)
476. *Zehneria scabra* (L.f.) Sond. subsp. *scabra* (= *Melothria punctata* Cogn.), *Puccinia hieroglyphica*, Berndt (2007), Doidge (1950) (as *Puccinia cephalandrae*); *Puccinia rhytidioderma*, Berndt (2007), Doidge (1950)

Cyperaceae

477. *Bolboschoenus maritimus* (L.) Palla (= *Scirpus maritimus* L.), *Uromyces lineolatus*, Doidge (1950), Jørstad (1956)

478. *Bulbostylis burchellii* (Fical. & Hiern) C.B.Clarke, *Puccinia bulbostylidis*, Doidge (1950)
479. *Carex aethiopica* Ehrh., *Puccinia caricina*, Jørstad (1956)
480. *Carex mossii* Nelmes (as *Carex petitiiana*, misapplied), *Uredo caricis-petitiianae*, Doidge (1950)
481. *Carex rhodesiaca* Nelmes, (= *Carex cernua* Boott. var. *austroafricana* Kük.), *Puccinia caricis-cernuae*, Doidge (1950); *Uredo caricis-rhodesiaca*, Gjærum (1999); *Uredo kentaniensis*, Gjærum (1999)
482. *Carex spicato-paniculata* C.B.Clarke, *Uredo grootboschensis*, Gjærum (1999)
483. *Carex zuluensis* C.B.Clarke, *Uredo caricis-zuluensis*, Gjærum (1999)
484. *Courtoisina cyperoides* (Roxb.) Soják (= *Cyperus pseudokyllingioides* Kük. var. *africanus* Kük.), *Puccinia cyperi-tagetiformis*, Gjærum (1990)
485. *Cyperus albostriatus* Schrad., *Puccinia cypericola*, Berndt & Wood (2012); *Puccinia morganae*, Doidge (1950); *Puccinia subcoronata*, Berndt & Wood (2012)
486. *Cyperus amabilis* Vahl, *Puccinia cyperi-tagetiformis*, Gjærum (1990)
487. *Cyperus compressus* L., *Puccinia conclusa*, Jørstad (1956); *Puccinia cyperi-tagetiformis*, Gjærum (1990)
488. *Cyperus difformis* L., *Puccinia cyperi-tagetiformis*, Gjærum (1990); *Uredo cypericola*, Doidge (1950)
489. *Cyperus distans* L.f., *Puccinia cyperi-tagetiformis*, Gjærum (1990)
490. **Cyperus esculentus* L., *Puccinia doidgeae*, Doidge (1950), Masuka et al. (1998); *Puccinia cyperi-tagetiformis*, Gjærum (1990)
491. *Cyperus fastigiatus* Rottb., *Puccinia cyperi-fastigiati*, Doidge (1950)
492. *Cyperus longus* L. (= *Cyperus longus* L. var. *tenuiflorus* (Rottb.) Boeck), *Uredo cypericola*, Doidge (1950); *Puccinia cyperi*, Jørstad (1956)
493. *Cyperus sphaerocephalus* Vahl (= *Cyperus obtusiflorus* Vahl var. *sphaerocephalus* (Vahl) Kuekenth.), *Puccinia doidgeae*, Jørstad (1956)
494. *Cyperus rotundus* L. (= *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuekenth), *Puccinia cyperi-tagetiformis*, Gjærum (1990)
495. *Cyperus usitatus* Burch. ex Roem. & Schult., *Puccinia pottsii*, Doidge (1950)
496. *Cyperus* sp., *Puccinia cyperi*, Jørstad (1956)
497. *Cyperus* sp., *Puccinia cyperi-tagetiformis*, Doidge (1950)
498. *Cyperus* sp., *Puccinia transvaalensis*, Doidge (1950)
499. *Cyperus* sp., *Puccinia pegleriana*, Doidge (1950)
500. *Cyperus* sp., *Uredo cypericola*, Doidge (1950)
501. *Ficinia capitella* (Thunb.) Nees (as '*Ficinia capitulum* Nees'), *Puccinia conclusa*, Jørstad (1956)

502. *Ficinia* cf. *levynsiae* T.H.Arnold & Gordon-Gray, *Puccinia* cf. *scirpi*, Berndt & Wood (2012)
503. *Ficinia* cf. *trichodes* (Schrad.) Benth. & Hook.f., *Puccinia* cf. *scirpi*, Berndt & Wood (2012)
504. *Fuirena coerulescens* Steud., *Puccinia fuirenella*, Doidge (1950)
505. *Fuirena pubescens* (Poir.) Kunth, *Puccinia fuirenella*, Doidge (1950)
506. *Fuirena stricta* Steud., *Puccinia fuirenella*, Doidge (1950); *Uredo fuirenae-strictae*, Gjørnum (1995)
507. *Kyllinga alba* Nees var. *alata* (Nees) C.B.Clarke (= *Cyperus alatus* (Nees) F.Muell.), *Puccinia cyperi-tagetiformis*, Gjørnum (1990)
508. *Kyllinga bulbosa* P.Beauv. (= *Cyperus richardii* Steud.), *Puccinia cyperi-tagetiformis*, Gjørnum (1990)
509. *Kyllinga melanosperma* Nees, *Puccinia kyllingicola*, Doidge (1950)
510. *Kyllinga* sp., *Uredo kyllingae*, Masuka et al. (1998)
511. *Mariscus congestus* (Vahl) C.B.Clarke, *Puccinia hennopsiana*, Doidge (1950)
512. *Pycnus macrostachyos* Lam., *Puccinia cyperi-tagetiformis*, Gjørnum (1990)
513. *Pycnus nitidus* (Lam.) J.Raynal, *Uredo* sp., Doidge (1950)
514. *Pycnus polystachos* (Rottb.) Beauv. (= *Cyperus polystachyos* Rottb.), *Puccinia cyperi-tagetiformis*, Gjørnum (1990); *Puccinia conclusa*, Jørstad (1956); *Uredo* sp., Doidge (1950)
515. *Schoenoplectus corymbosus* (Roth. ex Roem. & Schult.) J.Raynal (= *Scirpus corymbosus* (Roth ex Roem. & Schult.) B.Heyne), *Uredo scirpi-corymbosi*, Doidge (1950)
516. *Schoenoxiphium sparteum* (Wahlenb.) C.B.Clarke, *Puccinia schoenoxiphii*, Doidge (1950), Jørstad (1956)
517. *Scleria dregeana* Kunth, *Puccinia scleriae-dregeanae*, Doidge (1950)

Dennstaeditaceae

518. *Pteridium aquilinum* (L.) Kuhn, *Uredinopsis pteridis*, Berndt (2008b), Doidge (1950)

Dioscoreaceae

519. *Dioscorea mundtii* Baker, *Puccinia dioscoreae-mundtii*, Berndt & Uhlmann (2006)

Dryopteridaceae

520. *Polystichum pungens* (Kaulf.) C.Presl, *Milesia silvae-knysnae*, Berndt (2008b)

521. *Rumohra adiantiformis* (G.Forst.) Ching (= *Polystichum adiantiforme* (G.Forst.) J.Sm.), *Milesina blechni*, Berndt (2008b) Doidge (1950) recorded this plant as a host of *Milesia nervisequa* but Berndt (2008b) considered this a doubtful identification

Ebenaceae

522. *Diospyros lycioides* Desf. subsp. *sericea* (Bernh.) De Winter, *Aecidium royenae*, Masuka et al. (1998)
523. *Diospyros mespiliformis* Hochst. ex A.DC., *Aecidium diospyri*, Doidge (1950)
524. *Diospyros natalensis* (Harv.) Brenan (= *Maba natalensis* Harv.), *Aecidium bicolor*, Doidge (1950)
525. *Diospyros pallens* (Thunb.) F.White (= *Royena pallens* Thunb.), *Aecidium royenae*, Doidge (1950)
526. *Diospyros villosa* (L.) De Winter var. *villosa* (= *Royena villosa* L.), *Aecidium royenae*, Doidge (1950)
527. *Euclea crispa* (Thunb.) Guerke (= *Euclea lanceolata* E.Mey. ex A.DC.), *Crossopsora gilgiana*, Doidge (1950)
528. *Euclea natalensis* A.DC. subsp. *natalensis*, *Crossopsora gilgiana*, Doidge (1950)
529. *Euclea racemosa* Murray subsp. *macrophylla* (E.Mey. ex A.DC.) F.White (= *Euclea macrophylla* E.Mey. ex A.DC.), *Crossopsora gilgiana*, Doidge (1950)
530. *Euclea schimperii* (A.DC.) Dandy (= *Euclea kellau* Hochst.), *Crossopsora gilgiana*, Doidge (1950), Masuka et al. (1998)
531. *Euclea* sp., *Crossopsora gilgiana*, Doidge (1950)

Ericaceae

532. **Vaccinium corymbosum* L., *Pucciniastrum minimum*, Mostert et al. (2010)

Euphorbiaceae

533. *Acalypha angustata* Sond., *Aecidium acalyphicolum*, Doidge (1950); *Puccinia acalyphae*, Doidge (1950); *Puccinia evansii*, Doidge (1950)
534. *Acalypha capensis* (L.f.) Prain & Hutch. (= *Acalypha decumbens* Thunb.), *Puccinia acalyphae*, PREM 63182; *Puccinia evansii*, Doidge (1950); *Puccinia tragiae*, PREM 58371, 63181
535. *Acalypha peduncularis* E.Mey. ex Meisn., *Aecidium acalyphicolum*, Doidge (1950)
536. *Acalypha punctata* Meisn. ex C.Krauss, *Puccinia evansii*, Doidge (1950)
537. *Acalypha* spp., *Puccinia evansii*, Doidge (1950)

538. *Antidesma venosum* E.Mey. ex Tul., *Crossopsora antidesmae-dioicae*, Berndt & Wood (2012)
539. *Bridelia cathartica* Bertol., *Phakopsora capriviensis*, Ritschel et al. (2007)
540. *Clutia hirsuta* (Sond.) Müll.Arg. (as '*Cluytia*'), *Uromyces clutiae*, Doidge (1950)
541. *Clutia daphnoides* Lam., *Uromyces strauchii*, Doidge (1950)
542. *Clutia monticola* S.Moore (as '*Cluytia*'), *Uromyces clutiae*, Doidge (1950)
543. *Clutia pulchella* L. (= *Clutia galpinii* Pax., as '*Cluytia*'), *Uromyces clutiae*, Doidge (1950)
544. *Clutia virgata* Pax & K.Holm. (as '*Cluytia*'), *Aecidium clutiae*, Doidge (1950)
545. *Clutia* sp. (as '*Cluytia*'), *Uromyces clutiae*, Doidge (1950), Jørstad (1956)
546. *Croton gratissimus* Burch., *Bubakia doidgeae*, Doidge (1950), Wood (2006)
547. *Croton sylvaticus* Hochst., *Bubakia stratosa*, Doidge (1950), Wood (2006)
548. *Euphorbia gueinzii* Boiss., *Uromyces natalensis*, Doidge (1950)
549. **Euphorbia helioscopia* L., *Melampsora euphorbiae*, Van Reenen (1995)
550. **Euphorbia heterophylla* L., *Melampsora euphorbiae*, Doidge (1950), Gjørsum (2002), Masuka et al. (1998), Van Reenen (1995)
551. *Euphorbia inaequilatera* Sond., *Uromyces euphorbiae*, Doidge (1950)
552. *Euphorbia kraussiana* Bernh., *Melampsora euphorbiae*, Doidge (1950)
553. *Euphorbia mauritanica* L., *Aecidium pottsii*, Doidge (1950)
554. *Euphorbia natalensis* Bernh., *Aecidium kakalense*, Doidge (1950); *Uromyces euphorbiae*, Jørstad (1956)
555. **Euphorbia peplus* L., *Melampsora euphorbiae*, PREM 57993
556. **Euphorbia prostrata* Aiton, *Uromyces euphorbiae*, Doidge (1950), Gjørsum (1995), Masuka et al. (1998)
557. *Euphorbia striata* Thunb., *Aecidium kakalense*, Doidge (1950); *Melampsora euphorbiae*, Doidge (1950)
558. *Euphorbia tuberosa* L., *Puccinia euphorbiae*, Doidge (1950)
559. *Euphorbia* sp., *Melampsora euphorbiae*, Doidge (1950)
560. *Euphorbia* sp., *Aecidium kakalense*, Doidge (1950)
561. *Flueggea virosa* (Roxb. ex Willd.) Voigt, *Aecidium fluggeae*, Doidge (1950), Gjørsum (1995); *Masseëlla capparidis*, Doidge (1950), Gjørsum (2002)
562. **Ricinus communis* L., *Melampsora ricini*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995)
563. *Tragia durbanensis* Kuntze, *Puccinia tragiae*, PREM 63178
564. *Tragia rupestris* Sond., *Puccinia tragiae*, Doidge (1950)
565. *Tragia* sp., *Puccinia tragiae*, Doidge (1950)

Fabaceae

- 566. *Abrus laevigatus* E.Mey., *Ravenelia ornata*, PREM 59766
- 567. *Abrus precatorius* L., *Ravenelia ornata*, Wood (2006)
- 568. **Acacia mearnsii* De Wild, *Uromycladium* sp., McTaggart et al (2015) (misidentified as *Uromycladium acaciae*), Morris et al. (1988) (as *Uromycladium alpinum*)
- 569. **Acacia saligna* (Labill.) H.L.Wendl., *Uromycladium morrisii*, Morris (1991), Wood & Morris (2007), Wood (2012)
- 570. 'Acacia' (undetermined) sp., *Cephalotelium hieronymi*, Doidge (1950)
- 571. 'Acacia' (undetermined) sp., *Aecidium spinicola*, Doidge (1950)
- 572. *Albizia adianthifolia* (Schumach.) W.Wight, *Ravenelia minima*, Doidge (1950) (misapplied name *Albizia gummifera* (J.F.Gmel.) C.A.Sm. (as 'Albizzia'))
- 573. *Albizia versicolor* Welw. ex Oliv., *Spumula bottomleyae*, Doidge (1950)
- 574. *Alysicarpus rugosus* (Willd.) DC. (= *Alysicarpus violaceus* Schindl.), *Uromyces alysicarpi*, Doidge (1950), Masuka et al. (1998)
- 575. *Alysicarpus* sp., *Uromyces alysicarpi*, Doidge (1950)
- 576. **Arachis hypogaea* L., *Puccinia arachidis*, Gorter (1977), Masuka et al. (1998), Young et al. (1980)
- 577. *Argyrobolium amplexicaule* Duemmer, *Uromyces argyrolonii*, Doidge (1950)
- 578. *Aspalathus acuminata* Lam., *Uromyces bolusii*, Wood (2006)
- 579. *Aspalathus cephalotes* Thunb. subsp. *violacea* R.Dahlgren, *Uromyces bolusii*, Wood (2006)
- 580. *Aspalathus crenata* (L.) Dahlg. (= *Borbonia parviflora* Lam.), *Uromyces bolusii*, Doidge (1950), Wood (2006)
- 581. *Aspalathus ericifolia* L., *Uromyces bolusii*, Wood (2006)
- 582. *Aspalathus hispida* Thunb., *Uromyces bolusii*, Wood (2006)
- 583. *Aspalathus laricifolia* P.J.Bergius, *Uredo alspalathi*, Mennicken & Oberwinkler (2004)
- 584. *Aspalathus pachyloba* Benth., *Uromyces bolusii*, Doidge (1950)
- 585. *Aspalathus ternata* (Thunb.) Druce, *Uromyces bolusii*, Wood (2006)
- 586. *Aspalathus tuberculata* Walp., *Uromyces bolusii*, Wood (2006)
- 587. *Aspalathus uniflora* L. subsp. *wildenowiana* (Benth.) R.Dahlgren, *Uromyces bolusii*, Wood (2006)
- 588. *Aspalathus* sp. (= *Borbonia* sp.), *Uromyces bolusii*, Doidge (1950), Wood (2006)
- 589. *Baphia massaiensis* Taub. subsp. *obovata* (Schinz) Brummitt (= *Baphia obovata* Schinz.), *Diorchidium baphiae*, Doidge (1950), Masuka et al. (1998), Ritschel et al. (2007)

590. *Bauhinia galpinii* N.E.Br., *Uromyces rhodesicus*, Doidge (1950), Masuka et al. (1998)
591. *Bauhinia petersiana* Bolle subsp. *macrantha* (Oliv.) Brummitt (= *Bauhinia macrantha* Oliv.), *Uromyces rhodesicus*, Doidge (1950), Masuka et al. (1998)
592. *Bauhinia* sp., *Uromyces rhodesicus*, Doidge (1950), Masuka et al. (1998)
593. **Cajanus cajan* (L.) Millsp., *Uredo cajani*, Doidge (1950) (as *Uromyces dolicholi*), Swart et al. (2000)
594. *Calpurnia aurea* (Ait.) Benth. (= *Calpurnia sylvatica* E.Mey.), *Ravenelia glabra*, Doidge (1950)
595. *Cassia* sp, *Ravenelia le-testui*, Doidge (1950)
596. *Chamaecrista mimosoides* (L.) Greene (= *Cassia mimosoides* L.), *Uromyces cassiae-mimosoidis*, Doidge (1950)
597. *Crotalaria capensis* Jacq., *Uromyces crotalariae*, PREM 60940
598. *Crotalaria densicephala* Welw. ex Baker (= *Crotalaria lachnoclada* Harms) , *Uredo crotalariicola*, Doidge (1950)
599. *Crotalaria excisa* (Thunb.) Baker, *Uromyces lotononidicola*, Doidge (1950), Berndt & Uhlmann (2006)
600. *Crotalaria laburnifolia* L. subsp. *australis* (Baker f.) Polhill (= *Crotalaria australis* Baker f.), *Uromyces crotalariae*, Doidge (1950)
601. *Crotalaria lanceolata* E.Mey., *Uromyces crotalariae*, Doidge (1950)
602. *Crotalaria* sp., *Aecidium dielsii*, Doidge (1950) host probably misidentified, this rust otherwise only known on *Lebeckia* spp.
603. *Dalbergia armata* E.Mey., *Sphaerophragmium dalbergiae*, Berndt & Wood (2012), Doidge (1950)
604. *Dichrostachys cinerea* (L.) Wight & Arn. (= *Dichrostachys glomerata* (Forssk.) Chiov.), *Neoravenelia dichrostachydis*, Doidge (1950)
605. *Dipogon lignosus* (L.) Verdc. (= *Dolichos gibbosus* Thunb.), *Uromyces vignae*, Doidge (1950)
606. *Dolichos falciformis* E.Mey., *Uromyces vignae*, Doidge (1950)
607. *Dolichos kilimandscharicus* Harms: Taub., *Aecidium* sp., Masuka et al. (1998)
608. *Dolichos lupiniflorus* N.E.Br., *Uromyces vignae*, Doidge (1950)
609. *Elephantorrhiza elephantina* (Burch.) Skeels, *Ravenelia elephantorrhizae*, Doidge (1950)
610. *Elephantorrhiza goetzei* (Harms) Harms, *Ravenelia* sp., Gjørnum & Reid (1986)
611. *Entada abyssinica* (Steud.) A.Rich., *Ravenelia schweinfurthii*, Masuka et al. (1998)
612. *Eriosema cordatum* E.Mey., *Uromyces rhyncosiae*, Doidge (1950)

613. *Eriosema psoraleoides* (Lam.) G.Don (= *Eriosema cajanoides* (Guill. & Perr.) Hook.f.), *Uromyces rhyncosiae*, Doidge (1950)
614. *Eriosema salignum* E.Mey., *Uromyces rhyncosiae*, Doidge (1950)
615. *Eriosema* sp., *Uromyces rhyncosiae*, Doidge (1950)
616. *Faidherbia albida* (Del.) A.Chev., *Ravenelia escharoides*, Doidge (1950) (name misapplied as *Acacia mossambecensis* Bolle (as 'mossambicensis') an unresolved name)
617. *Flemingia grahamiana* Wight & Arn., *Uromyces rhyncosiae*, Doidge (1950)
618. **Glycine max* (L.) Merr., *Phakopsora pachyrhizi*, Masuka et al. (1998)
619. *Indigofera confusa* Prain & Baker f. (as *Indigofera pretoriana* Harms, misapplied name), *Uredo indigoferae*, Doidge (1950)
620. *Indigofera neglecta* N.E.Br., *Uredo indigoferae*, Doidge (1950)
621. *Indigofera spicata* Forssk., *Ravenelia laevis*, Masuka et al. (1998); *Uredo indigoferae*, Masuka et al. (1998)
622. *Indigofera* sp., *Ravenelia indigoferae*, Doidge (1950)
623. *Indigofera* sp., *Uromyces ermelensis*, Doidge (1950)
624. *Indigofera* sp., *Uredo indigoferae*, Doidge (1950)
625. *Lebeckia sericea* Thunb., *Aecidium lebeckiae*, Doidge (1950)
626. *Lebeckia simsiana* Eckl. & Zeyh., *Aecidium lebeckiae*, Doidge (1950)
627. *Lebeckia* sp., *Aecidium dielsii*, Mennicken & Oberwinkler (2004)
628. *Lonchocarpus capassa* Rolfe, *Angusia lonchocarpi*, Doidge (1950), Ritschel et al. (2007)
629. *Lonchocarpus* sp., *Aecidium menyharthii*, Doidge (1950)
630. *Lotononis corymbosa* (E.Mey.) Benth., *Uromyces lotononidicola*, Doidge (1950)
631. *Lotononis falcata* (E.Mey.) Benth., *Uromyces lotononidicola*, Berndt & Uhlmann (2006)
632. *Lotononis oxyptera* (E.Mey.) Benth., *Uromyces lotononidicola*, Berndt & Uhlmann (2006), Doidge (1950)
633. *Lotononis stricta* (Eckl. & Zehy.) B-E.van Wyk (= *Lotononis cytisoides* (E.Mey.) Benth.), *Uromyces lotononidicola*, Berndt & Uhlmann (2006), Doidge (1950)
634. *Lotononis wilmsii* Dummer (= *Lotononis hirsuta* Schinz), *Uromyces lotononidicola*, Berndt & Uhlmann (2006), Doidge (1950)
635. *Lotononis* sp., *Uromyces lotononidicola*, Doidge (1950)
636. **Medicago aculeata* L., *Uromyces striatus*, Lamprecht & Knox Davies (1984)
637. **Medicago laciniata* (L.) Mill. (= *Medicago aschersoniana* Urb.), *Uromyces striatus*, Doidge (1950)
638. **Medicago polymorpha* L., *Uromyces striatus*, Lamprecht & Knox Davies (1984)

639. **Medicago sativa* L., *Uromyces striatus*, Doidge (1950), Masuka et al. (1998)
640. **Medicago truncatula* Gaertn., *Uromyces striatus*, Lamprecht & Knox Davies (1984)
641. *Melolobium* sp. (as 'Melilobium'), *Aecidium australe*, Doidge (1950)
642. *Millettia grandis* (E.Mey.) Skeels, *Diorchidium woodii*, Doidge (1950)
643. *Mucuna coriacea* Baker subsp. *irritans* (Burt Davy) Verdc. (= *Mucuna coriacea* Baker, *Mucuna irritans* Burt Davy), *Uromyces mucunae*, Doidge (1950)
644. *Mucuna pruriens* (L.) DC., *Uromyces mucunae*, Doidge (1950)
645. *Mucuna pruriens* (L.) DC. var. *utilis* (Wall. ex Wight) Baker ex Burck (= *Stizolobium deeringianum* Bort), *Uromyces mucunae*, Doidge (1950)
646. *Mucuna* spp., *Uromyces mucunae*, Doidge (1950)
647. *Mundulea sericea* (Willd.) A.Chev., *Ravenelia stricta*, Doidge (1950)
648. *Neonotonia wightii* (Arn.) Lackey, *Uromyces* sp., Masuka et al. (1998)
649. *Ormocarpum trichocarpum* (Taub.) Engl., *Uropyxis steudneri* var. *rhodesica*, Doidge (1950), Masuka et al. (1998)
650. *Otholobium* cf. *candicans* (Eckl. & Zeyh.) C.H.Stirt., *Uredo otholobii*, Berndt & Uhlmann (2006)
651. *Otholobium fruticans* (L.) C.H.Stirt., *Uredo otholobii*, Berndt & Uhlmann (2006)
652. *Otholobium hirtum* (L.) C.H.Stirt., *Uredo otholobii*, Berndt & Uhlmann (2006)
653. *Otholobium obliquum* (E.Mey.) C.H.Stirt. (= *Psoralea obliqua* E.Mey), *Uromyces psoraleae*, Doidge (1950)
654. *Otholobium polystictum* (Benth. ex Harv.) C.H.Stirt. (= *Psoralea polysticta* Harv.), *Uredo psoraleae-polystictae*, Doidge (1950)
655. *Otholobium virgatum* (Burm.f.) C.H.Stirt. (= *Psoralea decumbens* Aiton), *Uromyces psoraleae*, Doidge (1950)
656. **Paraserianthes lophantha* (Willd.) I.C.Nielsen, *Uromycladium woodii* PREM 63238
657. **Phaseolus acutifolius* A.Gray, *Uromyces appendiculatus*, Doidge (1950)
658. **Phaseolus coccineus* L., *Uromyces appendiculatus*, Doidge (1950)
659. **Phaseolus vulgaris* L., *Phakopsora pachyrhizi*, Du Preez et al. (2005); *Uromyces appendiculatus*, Doidge (1950), Masuka et al. (1998)
660. *Piliostigma thonningii* (Schumach.) Milne-Redh. (= *Bauhinia thonningii* Schum.), *Uromyces schinzianus*, Doidge (1950)
661. **Pisum sativum* L., *Uromyces viciae-fabae*, Masuka et al. (1998)
662. *Pseudarthria hookeri* Wight & Arn., *Uromyces pseudarthriae*, Doidge (1950)
663. *Psoralea pinnata* L., cf. *Phakopsora pachyrhizae*, Mennicken & Oberwinkler (2004) only uredinia collected, this may be a misidentification

664. **Pueraria lobata* (Willd.) Ohwi, *Phakopsora pachyrhizae*, Pretorius et al. (2007)
665. *Rafnia amplexicaulus* (L.) Thunb., *Aecidium resinaecolum*, Doidge (1950)
666. *Rafnia angulata* Thunb., *Aecidium resinaecolum*, Doidge (1950) (as var. *tumefasciens*)
667. *Rafnia perfoliata* E.Mey., *Aecidium resinaecolum*, Doidge (1950)
668. *Rafnia* spp., *Aecidium resinaecolum*, Doidge (1950)
669. *Rhynchosia caribaea* (Jacq.) DC., *Uromyces rhynchosiae*, Doidge (1950)
670. *Rhynchosia confusa* Burt Davy, *Uromyces rhynchosiae*, Jørstad (1956)
671. *Rhynchosia effusa* (E.Mey.) Druce, *Uromyces rhynchosiae*, Doidge (1950)
672. *Rhynchosia harmsiana* Schltr. ex Zahlbr., *Uromyces rhynchosiae*, Doidge (1950)
673. *Rhynchosia harveyi* Eckl. & Zeyh. (= *Rhynchosia secunda* Eckl. & Zeyh.), *Uromyces rhynchosiae*, Doidge (1950)
674. *Rhynchosia minima* (L.) DC. var. *prostata* (Harv.) Meikle (= *Rhynchosia memnonia* (Delile) DC. var. *prostata* Harv.), *Uromyces rhynchosiae*, Doidge (1950)
675. *Rhynchosia sordida* (E.Mey.) Schinz, *Uromyces rhynchosiae*, Doidge (1950)
676. *Rhynchosia* sp., *Uromyces rhynchosiae*, Doidge (1950)
677. *Rhynchosia totta* (Thunb.) DC., *Uromyces rhynchosiae*, Doidge (1950)
678. *Senegalia ataxacantha* (DC.) Kyal. & Boatwr. (= *Acacia ataxacantha* DC.), *Ravenelia halsei*, Doidge (1950)
679. *Senegalia brevispica* (Harms) Seigler & Ebinger (= *Acacia brevispica* Harms), *Ravenelia pretoriensis*, Doidge (1950) (as *Acacia pennata* (L.) Willd, misapplied name); *Ravenelia dumeti*, Ebinger et al. (2020); *Sphaerophragmium senegaliae*, [this publication](#)
680. *Senegalia burkei* (Benth.) Kyal. & Boatwr. (= *Acacia burkei* Benth.), *Ravenelia escharoides*, Doidge (1950)
681. *Senegalia afra* (Thunb.) P.J.H.Hurter & Mabb. (= *Acacia afra* (Thunb.) Willd), *Ravenelia peglerae*, Doidge (1950); *Ravenelia pienaarii*, Doidge (1950)
682. *Senegalia erubescens* (Welw. ex Oliv.) Kyal. & Boatwr., *Ravenelia moloto*, Ebinger et al. (2020)
683. *Senegalia galpinii* (Burt Davy) Seigler & Ebinger, *Ravenelia moloto*, Ebinger et al. (2020)
684. *Senegalia hereroensis* (Engl.) Kyal. & Boatwr. (= *Acacia hereroensis* Engl.), *Ravenelia halsei*, Mennicken et al. (2005a)
685. *Senegalia mellifera* (Vahl) Seigler & Ebinger subsp. *detinens* (Burch.) Kyal. & Boatwr. (= *Acacia detinens* Burch., *Acacia mellifera* (Vahl.) Benth. subsp. *detinens* (Burch.) Brenan), *Ravenelia transvaalensis*, Doidge (1950), Mennicken et al. (2005a); *Ravenelia spinifera*, Ebinger et al. (2020)

686. *Senegalia nigrescens* (Oliv.) P.J.H.Hurter (= *Acacia nigrescens* Oliv.), *Ravenelia escharoides*, Masuka et al. (1998); *Ravenelia acaciae-nigrescentis*, Ritschel et al. (2007), Ebinghaus et al. (2020)
687. *Senegalia polycantha* (Willd.) Seigler & Ebinger subsp. *polycantha*, *Ravenelia doidgeae*, Ebinghaus et al. (2020)
688. *Senegalia polycantha* (Willd.) Seigler & Ebinger subsp. *campylacantha* (Hoschst. ex. A.Rich.) Kyal. & Boatwr., *Ravenelia modjadji*, Ebinghaus et al. (2020)
689. *Senegalia senegal* (L.) Britton subsp. *leiorhachis* (Brenan) Kyal. & Boatwr., *Ravenelia acaciicola*, Ebinghaus et al. (2020)
690. *Senegalia senegal* (L.) Britton subsp. *rostrata* (Brenan) Kyal. & Boatwr., *Ravenelia acaciicola*, Ebinghaus et al. (2020)
691. **Senna bicapsularis* (L.) Roxb., *Ravenelia mesilliana*, Ebinghaus et al. (2020)
692. *Senna petersiana* (Bolle) Lock (= *Cassia delagoensis* Harv.), *Ravenelia stuhlmannii*, Doidge (1950)
693. *Senna singueana* (Del.) Lock (= *Cassia goratensis* Fresen.), *Ravenelia stuhlmannii*, Doidge (1950), Baxter (1980), Gjørnum (1995), Masuka et al. (1998)
694. *Sesbania* sp., *Uromyces argyrolobii*, Doidge (1950), Masuka et al. (1998)
695. *Sphenostylis angustifolius* Sond., *Puccinia tristachyae* (= *Aecidium decipiens*), Doidge (1950)
696. *Sphenostylis marginata* E.Mey., *Aecidium vignae*, Doidge (1950)
697. *Sphenostylis marginata* E.Mey. subsp. *erecta* (Baker f.) Verdc., *Puccinia tristachyae* (= *Aecidium decipiens*), Doidge (1950), Masuka et al. (1998)
698. *Sphenostylis* sp., *Aecidium vignae*, Doidge (1950)
699. *Stylosanthes fruticosa* (Retz.) Alston (= *Stylosanthes mucronata* Willd.), *Uredo stylosanthis*, Doidge (1950)
700. *Tephrosia heckmanniana* Harms, *Ravenelia tephrosiae*, Doidge (1950), Masuka et al. (1998)
701. *Tephrosia macropoda* (E.Mey.) Harv., *Ravenelia tephrosiae*, Doidge (1950)
702. **Trifolium repens* L. (misidentified as *Trifolium tomentosum* L.), *Uromyces trifolii-repentis*, Doidge (1950)
703. **Trifolium resupinatum* L., *Uromyces trifolii-repentis*, Jørstad (1956)
704. **Trifolium* sp., *Uromyces trifolii*, Doidge (1950), Masuka et al. (1998)
705. *Vachellia borleae* (Burt Davy) Kyal. & Boatwr., *Cephalotelium macowanianum*, Ebinghaus et al. (2018)
706. *Vachellia davyi* (N.E.Br.) Kyal. & Boatwr., *Cephalotelium macowanianum*, Ebinghaus et al. (2018)
707. *Vachellia exuvialis* (I.Verd.) Kyal. & Boatwr., *Cephalotelium macowanianum*, Ebinghaus et al. (2018)

708. *Vachellia gerrardii* (Benth.) P.J.H.Hurter (= *Acacia gerrardii* Benth.), *Cephaloteliium evansii*, Doidge (1950); *Ravenelia modesta*, Ebinghaus et al. (2020)
709. *Vachellia hebeclada* (DC.) Kyal. & Boatwr. (= *Acacia stolonifera* Burch., *Acacia hebeclada* DC.), *Aecidium burtt-davyi*, Doidge (1950); *Cephaloteliium macowanianum*, Ebinghaus et al. (2018); *Ravenelia modesta*, Doidge (1950), Ritschel et al. (2007)
710. *Vachellia karroo* (Hayne) Banfi & Galasso (= *Acacia karroo* Hayne), *Cystoteliium inornata*, Doidge (1950), Ebinghaus et al. (2020); *Cephaloteliium macowanianum*, Doidge (1950), Ebinghaus et al. (2018); *Ravenelia natalensis*, Doidge (1950) (as *Acacia hirtella* E.Mey. an unresolved name); *Ravenelia pretoriensis*, Ritschel et al. (2007)
711. *Vachellia luederitzii* (Engl.) Kyal. & Boatwr. var. *retinens* (Sim) Kyal. & Boatwr. (= *Acacia gillettiae* Burtt Davy, *Acacia luederitzii* Engl. var. *retinens* (Sim) Ross & Brenan), *Cephaloteliium macowanianum*, Ebinghaus et al. (2018); *Ravenelia modesta*, Doidge (1950), Ebinghaus et al. (2020)
712. *Vachellia natalitia* (E.Mey.) Kyal. & Boatwr. (sometimes considered a synonym of *Vachellia karroo*), *Cephaloteliium macowanianum*, Ebinghaus et al. (2018); *Cystoteliium inornata* Ebinghaus et al. (2020); *Ravenelia pretoriensis* Ebinghaus et al. (2020)
713. *Vachellia nilotica* (L.) P.J.H.Hurter & Mabb. subsp. *kraussiana* (Benth.) Kyal. & Boatwr., *Cephoteliium acaciae-arabicae*, Ebinghaus et al. (2020)
714. *Vachellia permixta* (Burtt Davy) Kyal. & Boatwr., *Cephaloteliium macowanianum*, Ebinghaus et al. (2018)
715. *Vachellia reficiens* (Wawra) Kyal. & Boatwr. (= *Acacia reficiens* Wawra, *Acacia uncinata* Engl.), *Aecidium dinteri*, Doidge (1950)
716. *Vachellia rehmanniana* (Schinz) Kyal. & Boatwr. (= *Acacia rehmanniana* Schinz), *Cephaloteliium evansii*, Doidge (1950); *Ravenelia modesta*, Ebinghaus et al. (2020)
717. *Vachellia robusta* (Burch.) Kyal. & Boatwr. (= *Acacia robusta* Burch.), *Cephaloteliium evansii*, Doidge (1950)
718. *Vachellia sieberiana* (DC.) Kyal. & Boatwr. var. *woodii* (Burtt Davy) Kyal. & Boatwr. (= *Acacia woodii* Burtt Davy, *Acacia sieberiana* DC. var. *woodii* (Burtt Davy) Keay & Brenan), *Cephaloteliium evansii*, Doidge (1950)
719. *Vachellia swazica* (Burtt Davy) Kyal. & Boatwr., *Cephaloteliium macowanianum*, Ebinghaus et al. (2018)
720. *Vachellia tortilis* (Forssk.) Gallaso & Banfi subsp. *heteracantha* (Burch.) Kyal. & Boatwr. (= *Acacia tortilis* (Forssk.) Hayne subsp. *heteracantha* (Burch.) Brenan,

- Acacia litakunensis* Burchel an unresolved name), *Aecidium litakunensis*, Doidge (1950)
721. *Vachellia xanthophloeae* (Benth.) P.J.H.Hurter (= *Acacia xanthophloea* Benth), *Ravenelia natalensis*, PREM 59796; *Cephotelium xanthophloeae*, Ebinghaus et al. (2018)
722. **Vicia fabae* L., *Uromyces viciae-fabae*, Doidge (1950), Masuka et al. (1998)
723. **Vicia lens* (L.) Coss. & Germ. (= *Lens culinaris* Medik.), *Uromyces viciae-fabae*, Tadesse et al. (2004)
724. *Vigna angustifoliolata* Verdc., *Uromyces vignae*, Doidge (1950)
725. *Vigna nuda* N.E.Br., *Uromyces vignae*, Masuka et al. (1998)
726. *Vigna unguiculata* (L.) Walp., *Uromyces vignae*, Doidge (1950)
727. *Vigna unguiculata* (L.) Walp. var. *dekindtiana* (Harms) Verdc., *Uromyces appendiculatus*, Masuka et al. (1998)
728. *Vigna unguiculata* (L.) Walp. subsp. *stenophylla* (Harv.) Marechal, Mascherpa & Stainier (= *Vigna stenophylla* sensu Burt Davy), *Uromyces vignae*, Doidge (1950)
729. *Vigna* sp., *Uromyces vignae*, Doidge (1950)
730. *Wiborgia mucronata* (L.f.) Druce (= *Wiborgia armata* (Thunb.) Harv.), *Aecidium wiborgiae*, Doidge (1950)
731. *Wiborgia obcordata* (Berg.) Thunb., *Aecidium wiborgiae*, Doidge (1950)
732. *Wiborgia* sp., *Aecidium wiborgiae*, Jørstad (1956)
733. *Zornia bracteata* J.F.Gmel. (= *Zornia tetraphylla* Michx.), *Puccinia zorniae*, Doidge (1950), Jørstad (1956)
734. *Zornia capensis* Pers. (= *Zornia tetraphylla* var. *capensis* (Pers.) Harv.), *Puccinia zorniae*, Jørstad (1956)
735. Fabaceae undet., *Ravenelia woodii*, Doidge (1950)

Gentianaceae

552. *Anthocleista grandiflora* Gilg., *Pucciniosira anthocleistae*, Wood (2006)

Geraniaceae

736. *Geranium arabicum* Forssk., *Uromyces geranii*, Gjørsum (1995)
737. *Monsonia attenuata* Harv., *Puccinia monsoniae*, Doidge (1950)
738. *Monsonia brevirostrata* R.Knuth., *Puccinia monsoniae*, Doidge (1950)
739. *Monsonia burkeana* Planch. ex Harv. (= *Monsonia biflora* DC.), *Puccinia monsoniae*, Doidge (1950)
740. *Monsonia* sp., *Puccinia monsoniae*, Doidge (1950)
741. *Pelargonium alchemilloides* (L.) L'Hérit., *Puccinia granularis*, Doidge (1950)

742. *Pelargonium auritum* (L.) Willd. var. *auritum* (= *Pelargonium hirsutum* (Burm.f.) Aiton var. *melananthum* (Jacq.) Harv.), *Puccinia granularis*, Doidge (1950)
743. *Pelargonium burtoniae* L.Bol., *Puccinia granularis*, Doidge (1950)
744. *Pelargonium cordifolium* (Cav.) Curt., *Puccinia granularis*, PREM 57963
745. *Pelargonium cucullatum* (L.) L'Hérit., *Puccinia granularis*, Doidge (1950)
746. *Pelargonium gibbosum* (L.) L'Hérit., *Puccinia granularis*, PREM 57090, 57873, 59027
747. *Pelargonium grossularioides* (L.) L'Hérit., *Puccinia granularis*, Jørstad (1956), Mennicken & Oberwinkler (2004)
748. *Pelargonium X hortorum* Bailey, *Puccinia pelargonii-zonalis*, Doidge (1950)
749. *Pelargonium longifolium* (Burm.f.) Jacq., *Puccinia granularis*, Doidge (1950)
750. *Pelargonium luridum* (Andr.) Sweet (= *Pelargonium aconitophyllum* (Eckl. & Zeyh.) Steud.), *Puccinia granularis*, Doidge (1950), Masuka et al. (1998)
751. *Pelargonium multiradiatum* J.C.Wendl., *Puccinia granularis*, PREM 61407
752. *Pelargonium schizopetalum* Sweet (= *Pelargonium amatymbicum* (Eckl. & Zeyh.) Harv.), *Puccinia granularis*, Doidge (1950)
753. *Pelargonium tabulare* (Burm.f.) L'Hérit., *Puccinia granularis*, Doidge (1950)
754. *Pelargonium triste* (L.) L'Hérit., *Puccinia granularis*, Doidge (1950)
755. *Pelargonium zonale* (L.) Le Hérit, *Puccinia pelargonii-zonalis*, PREM 57874, 58368 these specimens represent the wild growing host species, not cultivated hybrids typically referred to under this name
756. *Pelargonium* spp., *Puccinia granularis*, Doidge (1950)

Hypericaceae

757. *Hypericum aethiopicum* Thunb. subsp. *aethiopicum*, *Melampsora hypericorum* var. *australis*, Doidge (1950)
758. *Hypericum aethiopicum* Thunb. subsp. *sonderi* (Bredel) N.Robson (= *Hypericum sonderi* Bredel), *Melampsora hypericorum* var. *australis*, Doidge (1950)
759. **Hypericum androsanum* L., *Melampsora hypericorum*, Masuka et al. (1998); *Uromyces triquetrus*, Masuka et al. (1998)
760. *Hypericum lalandii* Choisy, *Melampsora hypericorum* var. *australis*, Doidge (1950); *Puccinia hyperici*, Doidge (1950)
761. *Hypericum natalense* J.M.Wood & M.S.Evans, *Uromyces triquetrus*, Doidge (1950)
762. *Hypericum revolutum* Vahl. subsp. *revolutum* (= *Hypericum leucoptychoides* Steud.ex A.Rich.), *Uredo hyperici-leucoptychoidis*, Doidge (1950)

Hypoxidaceae

763. *Hypoxis acuminata* Baker, *Puccinia pole-evansii*, Doidge (1950), Laundon (1965)
764. *Hypoxis argentea* Harv. ex Baker, *Puccinia pole-evansii*, Doidge (1950)
765. *Hypoxis colchicifolia* Baker (= *Hypoxis latifolia* Hook., *Hypoxis oligotricha* Baker), *Uromyces hypoxidis*, Doidge (1950)
766. *Hypoxis costata* Baker, *Puccinia pole-evansii*, Doidge (1950)
767. *Hypoxis gerrardii* Baker, *Puccinia pole-evansii*, Doidge (1950)
768. *Hypoxis obtusa* Burch. ex Ker Gawl., *Puccinia pole-evansii*, PREM 60102
769. *Hypoxis rigidula* Baker, *Puccinia pole-evansii*, Doidge (1950), Laundon (1965)
770. *Hypoxis villosa* L.f., *Uromyces hypoxidis*, Doidge (1950)
771. *Hypoxis* sp., *Puccinia pole-evansii*, Doidge (1950), Laundon (1965); *Uromyces hypoxidis*, Doidge (1950)
772. *Pauridia minuta* (L.f.) T.Durant & Schinz. (= *Pauridia hypoxidoides* Harv.), *Puccinia stellenboschiana*, Doidge (1950)
773. *Spiloxene aquatica* (L.f.) Fourc. (= *Ianthe aquatica* (L.f.) Fourc.), *Puccinia stellenboschiana*, Doidge (1950)
774. *Spiloxene flaccida* (Nel.) Garside (= *Ianthe flaccida* Nel.), *Puccinia stellenboschiana*, Doidge (1950)
775. *Spiloxene umbraticola* (Schltr.) Garside (= *Spiloxene maximiliani* (Schltr.) Garside, *Hypoxis maximiliani* Schltr.), *Puccinia hypoxidis*, Jørstad (1956)

Iridaceae

776. *Aristea africana* (L.) Hoffmanns (= *Aristea cyanea* Aiton.), *Puccinia dehiscens*, Jørstad (1956) identity of host not certain, listed as '*A. cyanea* Sol.' which is unresolved
777. *Aristea anceps* Eckl. ex Klatt, *Puccinia dehiscens*, Jørstad (1956)
778. *Aristea capitata* (L.) Ker Gawl., *Puccinia dehiscens*, Doidge (1950), Jørstad (1956)
779. *Aristea ecklonii* Baker, *Puccinia dehiscens*, PREM 57959, 63198
780. *Aristea schizolaena* Harv. ex Baker, *Puccinia dehiscens*, Doidge (1950)
781. *Aristea* sp., *Puccinia dehiscens*, Doidge (1950), Jørstad (1956)
782. *Babiana disticha* Ker Gawl., *Uromyces ixiae*, Doidge (1950)
783. *Babiana nana* (Andrews) Spreng. (= *Babiana fragrans* Eckl., invalid name), *Uromyces ixiae*, Jørstad (1956)
784. *Babiana stricta* (Aiton) Ker Gawl., *Uromyces ixiae*, Doidge (1950)
785. *Chasmanthe aethiopica* (L.) N.E.Br. (= *Pentamenes aethiopica* (L.) E.Phillips), *Uromyces kentaniensis*, Doidge (1950), Wood (2006)
786. *Dierama pendulum* (L.f.) Baker, *Puccinia dieramae*, Doidge (1950); *Uromyces dieramatis*, Doidge (1950), Jørstad (1956) (host as '*pendula*')

787. *Dierama pulcherrimum* (Hook.f.) Baker, *Uromyces dieramatis*, Doidge (1950)
788. *Dierama* sp., *Puccinia dieramae*, Doidge (1950); *Uromyces dieramatis*, Doidge (1950)
789. *Ferraria glutinosa* (Baker) Rendle (= *Ferraria viscaria* Schinz), *Uromyces ferrariae*, Doidge (1950) (as *Ferraria* sp.), Masuka et al. (1998); *Aecidium clarum*, Doidge (1950)
790. *Freesia caryophyllacea* (Burm.f.) N.E.Br., *Uromyces ixiae*, PREM 57113, 58002, 60617
791. *Freesia grandiflora* (Baker) Klatt (= *Lapeyrousia grandiflora* (Baker) Baker), *Uromyces anomathecae*, Doidge (1950)
792. *Freesia laxa* (Thunb.) Goldbl. & Manning subsp. *laxa* (= *Lapeyrousia cruenta* (Lindl.) Baker), *Uromyces anomathecae*, Doidge (1950), Jørstad (1956)
793. *Freesia sparrmanii* (Thunb.) N.E.Br (= *Freesia odorata* Eckl. ex Klatt), *Uromyces transversalis*, Doidge (1950) host of type specimen of *Uromyces freesia* given in Jørstad (1956)
794. *Freesia refracta* (Jacq.) Klatt, *Uromyces transversalis*, Jørstad (1956)
795. *Freesia* sp., *Uromyces ixiae*, Doidge (1950)
796. *Geissorhiza aspera* Goldbl. (= *Geissorhiza secunda* (P.J.Bergius) Ker Gawl., *Geissorhiza secunda* Ker Gawl. illegit.), *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
797. *Geissorhiza bolusii* Baker (= *Geissorhiza rupestris* Schltr.), *Uromyces ixiae*, Doidge (1950)
798. *Geissorhiza exscapa* (Thunb.) Goldbl. (= *Engysiphon exscapus* (Thunb.) G.J.Lewis, *Acidanthera tubulosa* Baker), *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
799. *Geissorhiza imbricata* (D.Delaroche) Ker Gawl., *Uromyces ixiae*, Doidge (1950)
800. *Geissorhiza inflexa* (D.Delaroche) Ker Gawl. (= *Geissorhiza hirta* Ker Gawl.), *Uromyces ixiae*, Jørstad (1956)
801. *Geissorhiza juncea* (Link) A.Dietr., *Uromyces ixiae*, Jørstad (1956)
802. *Geissorhiza monanthos* Eckl., *Uromyces ixiae*, PREM 57121, 62278
803. *Gladiolus angustus* L., *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
804. *Gladiolus carinatus* Aiton (= *Gladiolus tenellus* Jacq.), *Uromyces ixiae*, Jørstad (1956)
805. *Gladiolus carneus* D.Delaroche (= *Gladiolus blandus* Aiton), *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
806. *Gladiolus caryophyllaceus* (Burm.f.) Poir., *Uromyces ixiae*, Doidge (1950)
807. *Gladiolus crassifolius* Baker, *Uromyces ixiae*, Doidge (1950)
808. *Gladiolus cunonius* (L.) Gaertn., *Uromyces ixiae*, PREM 57118, 60618

809. *Gladiolus dalenii* Van Geel (= *Gladiolus psittacinus* Hook.f.), *Uromyces transversalis*, Doidge (1950)
810. *Gladiolus debilis* Ker Gawl. (= *Gladiolus cochleatus* Sweet), *Uromyces ixiae*, Doidge (1950)
811. *Gladiolus ecklonii* Lehm., *Uromyces ixiae*, Doidge (1950)
812. *Gladiolus floribunda* Jarq., *Uromyces ixiae*, PREM 57119
813. *Gladiolus hirsutus* Jacq., *Uromyces ixiae*, Doidge (1950)
814. *Gladiolus inflatus* (Thunb.) Thunb., *Uromyces ixiae*, Jørstad (1956)
815. *Gladiolus liliaceus* Houtt. (= *Gladiolus grandis* (Thunb.) Thunb.), *Uromyces ixiae*, Jørstad (1956)
816. *Gladiolus orchidiflorus* Andrews, *Uromyces ixiae*, Doidge (1950)
817. *Gladiolus permeabilis* D.Delaroche, *Uromyces ixiae*, Jørstad (1956)
818. *Gladiolus recurvus* L., *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
819. *Gladiolus saundersii* Hook.f., *Uromyces transversalis*, Doidge (1950)
820. *Gladiolus sericeovillosus* Hook. (= *Gladiolus ludwigii* (Pappe ex Baker) Baker), *Puccinia mccleanii*, Doidge (1950)
821. *Gladiolus undulatus* L. (= *Gladiolus cuspidatus* Jacq.), *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
822. *Gladiolus venustus* G.J.Lewis (= *Gladiolus formosa* Klatt, *G. scullyi* Baker), *Uromyces ixiae*, Doidge (1950)
823. *Gladiolus* sp., *Uromyces ixiae*, Doidge (1950), Jørstad (1956); *Uromyces transversalis*, Doidge (1950), Jørstad (1956), Masuka et al. (1998)
824. ? *Gladiolus* sp., *Puccinia gladioli-crassifolii*, Doidge (1950)
825. *Hesperantha falcata* (L.f.) Ker Gawl., *Uromyces ixiae*, Jørstad (1956)
826. *Hesperantha radiata* (Jacq.) Ker Gawl. (= *Hesperantha radiata* var. *caricina* Ker Gawl.), *Uromyces ixiae*, Jørstad (1956)
827. *Hesperantha spicata* (Burm.f.) N.E.Br. subsp. *graminifolia* (Sweet) Goldbl. (= *Hesperantha graminifolia* D.Don), *Uromyces ixiae*, Jørstad (1956)
828. **Iris germanica* L., *Puccinia iridis*, Doidge (1950), Masuka et al. (1998)
829. *Ixia fucata* Ker Gawl., *Uromyces ixiae*, Doidge (1950) (as '*furcata*')
830. *Ixia lutea* Eckl., *Uromyces ixiae*, Doidge (1950)
831. *Ixia maculata* L., *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
832. *Ixia orientalis* L.Bolus, *Uromyces ixiae*, PREM 57123, 58003
833. *Ixia paniculata* D.Delaroche, *Uromyces ixiae*, Doidge (1950)
834. *Ixia patens* Aiton, *Uromyces ixiae*, Doidge (1950)
835. *Ixia polystacha* L. (= *Ixia leucantha* Jacq.), *Uromyces ixiae*, Doidge (1950), Jørstad (1956)

836. *Ixia scillaris* L. (= *Tritonia scillaris* Baker), *Uromyces zeyheri*, Doidge (1950), Jørstad (1956)
837. *Ixia stricta* (Eckl. ex Klatt) G.J.Lewis (= *Tritonia scillaris* var. *stricta* (Eckl. ex Klatt) Baker), *Uromyces zeyheri*, Jørstad (1956)
838. *Lapeirousia corymbosa* (L.) Ker Gawl., *Uromyces ixiae*, Doidge (1950) (as 'Lapeyrouisia')
839. *Lapeirousia fabrici* (D.Delaroche) Ker Gawl., *Uromyces ixiae*, Jørstad (1956)
840. *Lapeirousia littoralis* Baker subsp. *caudata* (Schinz.) Goldbl. (= *Lapeirousia delagoensis* Baker), *Uromyces ixiae*, Doidge (1950) (as 'Lapeyrouisia')
841. *Melasphaerula ramosa* (L.) N.E.Br. (= *Melasphaerula graminea* (L.f.) Ker Gawl.), *Uromyces ixiae*, Doidge (1950)
842. *Moraea bulbifera* (G.J.Lewis) Goldblatt, *Puccinia moraeae*, PREM 57097
843. *Moraea collina* Thunb. (= *Homeria breyniana* (L.) Lewis, *Homeria collina* (Thunb.) Salisb. as 'Homeria collina Vent.', *Homeria collina* var. *aurantiaca* (Zuccagni) Baker), *Puccinia moraeae*, Doidge (1950), Jørstad (1956)
844. *Moraea fugax* (Delaroche) Jacq. (= *Moraea edulis* (L.f.) Ker Gawl.), *Puccinia capensis*, Doidge (1950), Jørstad (1956)
845. *Moraea miniata* Andr., *Puccinia moraeae*, PREM 57096, 57970, 58678, 60609, 61377
846. *Moraea pallida* (Baker) Goldblatt (= *Homeria pallida* Baker), *Puccinia moraeae*, Doidge (1950)
847. *Moraea ramosissima* (L.f.) Druce (= *Moraea ramosa* (Thunb.) Ker Gawl.), *Uromyces ixiae*, Doidge (1950) Doidge (1950) expressed doubt about the identity of this host
848. *Moraea setifolia* (L.f.) Druce (= *Moraea humilis* Eckl., *Moraea setacea* (Thunb.) Ker Gawl.), *Puccinia moraeae*, Jørstad (1956); *Uromyces moraeae*, Jørstad (1956)
849. *Moraea spathulata* (L.f.) Klatt, *Uromyces moraeae*, Doidge (1950)
850. *Moraea tricuspidata* (L.f.) G.J.Lewis (= *Moraea tricuspis* (Thunb.) Ker Gawl.), *Puccinia capensis*, Doidge (1950)
851. *Moraea* sp. (= *Homeria* sp.), *Puccinia moraeae*, Doidge (1950), Jørstad (1956)
852. *Nivenia corymbosa* (Ker Gawl.) Baker, *Puccinia dehiscens*, Doidge (1950)
853. *Romulea flava* (Lam.) M.P.de Vos, *Uromyces ixiae*, PREM 61375
854. *Romulea hirsuta* (Eckl. ex Klatt) Baker var. *zeyheri* (Baker) De Vos (= *Romulea zeyheri* (Baker) Eckl. ex Bég.), *Uromyces ixiae*, Jørstad (1956)
855. *Romulea rosea* (L.) Eckl., *Uromyces ixiae*, Doidge (1950)
856. *Romulea tabularis* Eckl. ex Bég., *Uromyces ixiae*, PREM 57120, 58692, 62258
857. *Romulea* sp., *Uromyces ixiae*, Doidge (1950)

- 858. *Sparaxis bulbilifera* (L.) Ker Gawl., *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
- 859. *Sparaxis grandiflora* (D.Delaroche) Ker Gawl., *Uromyces ixiae*, Doidge (1950), Jørstad (1956)
- 860. *Thereianthus minutus* (Klatt) G.J.Lewis, *Uromyces ixiae*, Berndt (2020) (as *Uromyces cf. ecklonii*)
- 861. *Tritonia cooperi* (Baker) Klatt. (= *Gladiolus longiflorus* Jacq., misapplied name), *Uromyces ixiae*, Jørstad (1956)
- 862. *Tritonia gladiolaris* (Lam.) Goldblatt & J.C.Manning (= *Tritonia lineata* (Salisb.) Ker Gawl.), *Uromyces transversalis*, Doidge (1950); *Uromyces sparaxidis*, Doidge (1950) **host incorrectly given as *Sparaxis tricolor* (Schneev.) Ker Gawl**
- 863. *Tritonia pallida* Ker Gawl., *Uromyces zeyheri*, Doidge (1950)
- 864. *Tritonia securigera* (Aiton) Ker Gawl., *Uromyces transversalis*, Doidge (1950)
- 865. *Tritonia squalida* (Aiton) Ker Gawl., *Uromyces transversalis*, Doidge (1950)
- 866. *Tritonia* sp., *Uromyces transversalis*, Doidge (1950)
- 867. *Tritoniopsis revoluta* (Burm.f.) Goldblatt (= *Anapalina revoluta* (Burm.f.) N.E.Br.), *Uromyces antholyzae*, Doidge (1950)
- 868. *Tritoniopsis* spp. (= *Antholyza* spp.), *Uromyces antholyzae*, Doidge (1950)
- 869. *Watsonia angusta* Ker Gawl., *Uromyces transversalis*, Doidge (1950)
- 870. *Watsonia densiflora* Baker, *Uromyces transversalis*, Doidge (1950)
- 871. *Watsonia meriana* (L.) Mill., *Uromyces transversalis*, Doidge (1950)
- 872. *Watsonia* sp., *Uromyces transversalis*, Doidge (1950)

Juncaceae

- 873. *Juncus lomatomyllus* Spreng., *Puccinia junci-oxycarpi*, Doidge (1950)
- 874. *Juncus oxycarpus* E.Mey. ex Kunth, *Puccinia junci-oxycarpi*, Doidge (1950)
- 875. *Juncus punctorius* L.f., *Puccinia junci-oxycarpi*, Doidge (1950)
- 876. *Juncus* sp., *Puccinia junci-oxycarpi*, Doidge (1950)

Lamiaceae

- 877. *Clerodendron buchneri* Gürke, *Aecidium clerodendricola*, Doidge (1950)
- 878. *Clerodendron glabrum* E.Mey., *Hemileia scholzii*, Doidge (1950), Ritschel (2005)
- 879. *Clerodendron* sp., *Hemileia scholzii*, Ritschel (2005)
- 880. *Hemizygia pretoriae* (Gürke) Ashby, *Puccinia galerita*, Doidge (1950)
- 881. *Hoslundia opposita* Vahl, *Puccinia hoslundiae*, Gjørsum (1995)
- 882. **Hyptis pectinata* (L.) Poit., *Puccinia hyptidis-mutabilis*, Jørstad (1956)
- 883. *Leonotis leonurus* (L.) R.Br., *Puccinia leonotidicola*, Doidge (1950)

884. *Leonotis nepetifolia* (L.) R.Br., *Puccinia leonotidicola*, Doidge (1950)
885. *Leonotis ocymifolia* (Burm.f.) Iwarsson (= *Leonotis dysophylla* Benth., *Leonotis leonitis* (L.) R.Br.), *Puccinia leonotidicola*, Doidge (1950)
886. *Leonotis* sp., *Puccinia leonotidicola*, Doidge (1950)
887. *Leucas glabrata* (Vahl.) Sm., *Puccinia leucadis*, Doidge (1950)
888. *Leucas martinicensis* (Jacq.) R.Br., *Puccinia leucadis*, Doidge (1950), Masuka et al. (1998)
889. *Mentha aquatica* L., *Puccinia menthae*, Doidge (1950)
890. **Mentha arvensis* L., *Puccinia menthae*, Masuka et al. (1998)
891. *Mentha longifolia* (L.) Huds. (subspecies not recorded), *Puccinia menthae*, Jørstad (1956), Mennicken & Oberwinkler (2004),
892. *Mentha longifolia* (L.) Huds. subsp. *capensis* (Thunb.) Briq., *Puccinia menthae*, Doidge (1950)
893. **Mentha spicata* L. (= *Mentha viridis* (L.) L.), *Puccinia menthae*, Doidge (1950)
894. *Ocimum americanum* L., *Puccinia ocimi*, Doidge (1950)
895. *Ocimum grattissimum* L. (= *Ocimum suave* Willd.), *Puccinia ocimi*, Doidge (1950)
896. *Ocimum obovatum* E.Mey. ex Benth. (= *Becium obovatum* (E.Mey. ex Benth.) N.E.Br.), *Puccinia becii*, Doidge (1950)
897. *Orthosiphon* sp., *Puccinia pallens*, Doidge (1950)
898. *Plectranthus dolichopodus* Briq., *Puccinia plectranthi*, [PREM 57875](#), [63153](#)
899. *Plectranthus esculentus* N.E.Br. (= *Plectranthus floribundus* N.E.Br.), *Aecidium plectranthi*, Doidge (1950)
900. *Plectranthus laxiflorus* Benth., *Puccinia plectranthi*, Doidge (1950)
901. *Plectranthus* sp., *Puccinia luandensis*, Doidge (1950)
902. *Plectranthus* sp., *Puccinia plectranthi*, Doidge (1950)
903. *Plectranthus* sp., *Aecidium plectranthii*, Doidge (1950), Masuka et al. (1998)
904. *Pycnostachys reticulata* (E.Mey.) Benth. (= *Pycnostachys purpurascens* Briq., as 'Pychnostachys'), *Aecidium pycnostachydis*, Doidge (1950), Masuka et al. (1998)
905. *Pycnostachys urtifolia* Hook., *Aecidium pycnostachydis*, [PREM 56850](#)
906. *Salvia runcinata* L.f., *Puccinia salviae-runcinatae*, Baxter (1955), Doidge (1950)
907. *Stachys aethiopica* L., *Puccinia aethiopica*, Doidge (1950)
908. *Stachys grandifolia* E.Mey. ex Benth., *Puccinia aethiopica*, Doidge (1950)
909. *Stachys hyssopoides* Burch. ex Benth., *Puccinia aethiopica*, Doidge (1950)
910. *Stachys spathulata* Burch. ex Benth., *Puccinia aethiopica*, Doidge (1950)
911. *Stachys* sp., *Puccinia aethiopica*, Doidge (1950)
912. *Tinnea eriocalyx* Welw., *Aecidium tinneae*, Doidge (1950)

Linaceae

913. *Linum africanum* L., *Melampsora lini*, Doidge (1950)
914. **Linum usitatissimum* L., *Melampsora lini*, Doidge (1950), Van Reenen (1995)

Loranthaceae

915. *Agelanthus natalitius* subsp. *zeyheri* (Harv.) Polhill & Wiens. (= *Loranthus zeyheri* Harv.), *Aecidium cookeanum*, Doidge (1950)
916. *Erianthemum dregei* (Eckl. & Zeyh.) V.Tieghem (= *Loranthus dregei* Eckl. & Zeyh.), *Aecidium cookeanum*, Doidge (1950)
917. *Tapinanthus* sp. (= *Loranthus* sp.), *Aecidium cookeanum*, Doidge (1950)

Loganiaceae (including Strychnaceae)

918. *Strychnos henningsii* Gilg., *Puccinia lindaviana*, Doidge (1950)

Malpighiaceae

919. *Triaspis hypericoides* (DC.) Burch. subsp. *nelsonii* (Oliv.) Immelman, *Puccinia ovamboensis*, Mennicken et al. (2005a)

Malvaceae (including Sterculiaceae, Tiliaceae)

920. *Abutilon angulatum* (Guil. & Perr.) Mast., *Puccinia abutilonis*, Doidge (1950), Gjørsum (1995), Masuka et al. (1998), Mennicken et al. (2005a)
921. *Abutilon* cf. *austroafricanum* Hochr., *Puccinia abutilonis*, Mennicken et al. (2005a)
922. *Abutilon grantii* A.Meeuse (as *Abutilon indicum* (L.) Sweet, misapplied name), *Puccinia abutilonis*, Doidge (1950)
923. *Abutilon* cf. *rehmannii* Baker f., *Puccinia abutilonis*, Mennicken et al. (2005a)
924. *Abutilon sonneratianum* (Cav.) Sweet, *Puccinia abutilonis*, Doidge (1950)
925. *Abutilon* spp., *Puccinia abutilonis*, Doidge (1950)
926. **Alcea rosea* L. (= *Althaea rosea* (L.) Cav.), *Puccinia malvacearum*, Doidge (1950), Masuka et al. (1998)
927. **Anisodonteia triloba* (Thunb.) D.M.Bates (= *Malvastrum grossulariifolium* sensu Gray & Harv.), *Puccinia malvacearum*, Doidge (1950)
928. *Dombeya tiliacea* (Endl.) Planch. (= *Dombeya natalensis* Sond.), *Uredo dombeyae*, Doidge (1950); *Uredo dombeyicola* [this publication](#)
929. **Gossypium* sp., *Phakopsora desmum*, Doidge (1950), Van Reenen (1995)
930. *Grewia afra* Meisn., *Uredopeltis atrides*, Doidge (1950) (as *Ravenelia atrides*), Wood (2007)

- 931. *Grewia bicolor* Juss. (= *Grewia kwebensis* N.E.Br.), *Uredopeltis chevalieri*, Doidge (1950) (as *Ravenelia atrides*), Wood (2007); *Uredopeltis corbiculoides*, Wood (2007)
- 932. *Grewia flava* DC., *Uredopeltis flavae*, Doidge (1950) (as *Uredo grewiae*), Mennicken et al. (2005a), Wood (2007)
- 933. *Grewia flavescens* Juss., *Uredopeltis atrides*, Wood (2007); *Uredopeltis microspora*, Mennicken et al. (2005a) (as *Uredopeltis* cf. *chevalieri*), McTaggart et al. (2017), Wood & Aime (2024)
- 934. *Grewia monticola* Sond., *Uredopeltis chevalieri*, Doidge (1950) (as *Ravenelia atrides*), Thirumalachar (1946), Wood (2007)
- 935. *Grewia occidentalis* L., *Uredopeltis corbiculoides*, Doidge (1950) (as *Ravenelia atrides*), Wood (2007)
- 936. *Grewia* sp. (as '*Grewia nenensis*', unknown name, possibly confused with collection locality – Nene River), *Cumminsina clavispora*, Von Petrak (1955)
- 937. *Hibiscus calyphyllus* Cav., *Endophyllum mpenjatiense*, Berndt & Wood (2012)
the host pant has been identified since the description of this rust fungus
- 938. **Hibiscus cannabinus* L., *Aecidium garckeianum*, Doidge (1950), Tesfaendrias & Swart (2005)
- 939. *Hibiscus surattensis* L., *Puccinia exilis* var. *hibisci*, this publication
- 940. **Malva parviflora* L., *Puccinia malvacearum*, Doidge (1950)
- 941. **Malva pusilla* Sm. (= *Malva rotundifolia* L.), *Puccinia malvacearum*, Doidge (1950)
- 942. *Melhamia didyma* Eckl. & Zeyh., *Phakopsora melhaniae*, Berndt et al. (2008)
- 943. *Sida cordifolia* L., *Puccinia heterospora*, Doidge (1950), Masuka et al. (1998), Gjørum (2002)
- 944. *Sida dregei* Burt Davy, *Puccinia heterospora*, Doidge (1950)
- 945. *Sida ovata* Forssk. (= *Sida hoepfneri* Gürke ex Schinz), *Puccinia heterospora*, Doidge (1950)
- 946. *Sida rhombifolia* L., *Puccinia heterospora*, Doidge (1950)
- 947. *Sida spinosa* L. (= *Sida alba* L.), *Puccinia heterospora*, Jørstad (1956), Masuka et al. (1998)

Melastomataceae

- 948. *Dissotis princeps* (Kunth) Triana, *Pucciniosira dissotidis*, Doidge (1950)
- 949. *Dissotis longicaudata* Cogn., *Pucciniosira dissotidis*, Doidge (1950)
- 950. *Dissotis* sp. (incorrectly identified as *Dissotis incana* (Walp.) Triana, an unresolved name), *Pucciniosira dissotidis*, Doidge (1950)

Montiniaceae

951. *Montinia caryophyllacea* Thunb., *Puccinia deformans*, Doidge (1950)

Moraceae

952. *Dorstenia psilurus* Welw., *Puccinia dorsteniae*, Lagerheim (1889)
953. **Ficus carica* L., *Cerotelium fici*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995); *Phakopsora nishidana*, Boshoff et al. (2022b)
954. *Ficus cordata* Thunb. subsp. *salicifolia* (Vahl) Berg (= *Ficus pretoriae* Burt Davy), *Cerotelium fici*, Doidge (1950)

Myricaceae

955. *Myrica* cf. *serrata*, *Uredo myricae*, Berndt (2020)

Myrtaceae

956. **Backhousia citriodora* F.Muell., *Austropuccinia psidii*, Roux et al. (2016)
957. **Eucalyptus cloeziana* F.Muell., *Phakopsora myrtacearum*, Maier (2016)
958. **Eucalyptus grandis* W.Hill, *Phakopsora myrtacearum*, Maier (2016)
959. **Eucalyptus nitens* (H.Deane & Maiden) Maiden, *Phakopsora myrtacearum*, Maier (2016)
960. *Eugenia capensis* (Eckl. & Zeyh.) Harv. subsp. *natalitia* (Sond.) F.White. (= *Eugenia natalitia* Sond.), *Austropuccinia psidii*, Roux et al. (2016)
961. *Eugenia erythrophylla* Strey, *Austropuccinia psidii*, Roux et al. (2016)
962. *Eugenia umtamvunensis* A.E.Van Wyk, *Austropuccinia psidii*, Roux et al. (2016)
963. *Heteropyxis natalensis* Harv., *Austropuccinia psidii*, Roux et al. (2016)
964. **Myrtus communis* L., *Austropuccinia psidii*, Roux et al. (2013), Roux et al. (2016)

Oleaceae

965. *Jasminum abyssinicum* Hochst. ex DC., *Puccinia exhaustiens*, PREM 59026
966. *Jasminum breviflorum* Harv., *Aecidium jasminicola*, this publication; *Hemileia wakefieldii*, PREM 63183
967. *Jasminum fluminense* Vell., *Puccinia exhaustiens*, PREM 59025
968. *Jasminum glaucum* (L.f.) Aiton, *Hemileia wakefieldii*, Ritschel (2005)
969. *Jasminum multipartitum* Hochst., *Uromyces hobsonii*, Doidge (1950)
970. *Jasminum quinquatum* Schinz., *Puccinia exhaustiens*, Jørstad (1956)
971. *Jasminum streptopus* E.Mey. (= *Jasminum microphyllum* Baker), *Aecidium longaense*, Doidge (1950)
972. *Jasminum tortuosum* Willd., *Puccinia exhaustiens*, Doidge (1950)

Onagraceae

- 973. *Epilobium capense* Buch. ex Hochst (= *Epilobium flavescens* E.Mey. ex Harv. & Sond.), *Puccinia krookii*, Doidge (1950)
- 974. *Epilobium hirsutum* L., *Puccinia krookii*, Doidge (1950)
- 975. **Fuchsia* spp., *Pucciniastrum epilobii*, Gorter (1982), Masuka et al. (1998)
- 976. **Oenothera biennis* L., *Uromyces capensis*, Doidge (1950)
- 977. **Oenothera* spp., *Puccinia oenotherae*, Doidge (1950)

Orchidaceae

- 978. *Bartholina burmanniana* (L.) Ker Gawl., *Uromyces silksvleyensis*, Mennicken & Oberwinkler (2004)
- 979. *Ceratendra bicolor* Sond. ex Bolus (= *Evota bicolor* (Sond. ex Bolus) Rolfe), *Puccinia satyrii*, Jørstad (1956)
- 980. *Corycium nigrescens* Sond., *Aecidium corycii*, Doidge (1950)
- 981. *Disa bracteata* Sw. (= *Monadenia bracteata* (Swartz) Dur. & Schinz), *Uredo disae*, Doidge (1950)
- 982. *Disa comosa* (Rchb.f.) Schltr. (= *Monadenia comosa* Reichb.f.), *Puccinia satyrii*, Doidge (1950)
- 983. *Disa filicornis* (L.f.) Thunb. (= *Disa patens* (L.f.) Thunb., as '*Panthea patens*'), *Puccinia satyrii*, Jørstad (1956)
- 984. *Disa sagittalis* (L.f.) Swartz (as '*sagittatis*'), *Puccinia satyrii*, Jørstad (1956)
- 985. *Pterygodium alatum* (Thunb.) Swartz, *Puccinia satyrii*, Jørstad (1956)
- 986. *Pterygodium inversum* (Thunb.) Swartz (= *Anochilus inversum* (Thunb.) Rolfe), *Puccinia satyrii*, Jørstad (1956)
- 987. *Satyrium bracteatum* (L.f.) Thunb., *Uredo satyrii*, Jørstad (1956)
- 988. *Satyrium carneum* (Dryand.) Sims, *Puccinia satyrii*, Doidge (1950)
- 989. *Satyrium coriifolium* Swartz, *Uredo satyrii*, Doidge (1950)
- 990. *Satyrium ligulatum* Lindl., *Puccinia satyrii*, Jørstad (1956)
- 991. *Satyrium neglectum* Schltr., *Puccinia satyrii*, Doidge (1950)

Oxalidaceae

- 992. *Oxalis bowiei* Lindl., *Uromyces ixiae*, Doidge (1950)
- 993. **Oxalis corniculata* L., *Puccinia sorghi*, PoleEvans (1923b), Dunhin et al. (2004)
- 994. **Oxalis latifolia* H.B.K., *Puccinia oxalidis*, Masuka et al. (1998), [PREM 57971](#), [60616](#)
- 995. *Oxalis obliquifolia* Steud. ex Rich., *Uromyces ixiae*, Doidge (1950)
- 996. *Oxalis obtusa* Jacq., *Uromyces ixiae*, Doidge (1950)

- 997. *Oxalis pes-caprae* L., *Uromyces ixiae*, Wood & Aime (2024)
- 998. *Oxalis purpurea* L. (incl. *Oxalis breviscarpa* Jacq. an unresolved name), *Uromyces ixiae*, Doidge (1950)
- 999. *Oxalis semiloba* Sond., *Uromyces ixiae*, Masuka et al. (1998)
- 1000. *Oxalis* spp., *Uromyces ixiae*, Doidge (1950)

Penaceae

- 1001. *Saltera sarcocolla* (L.) Bullock, *Uredo sarcocollae*, Mennicken et al. (2003)

Plumbaginaceae

- 1002. **Limonium platyphyllum* Lincz. (= *Limonium latifolium* (Sm.) Kuntze), *Uromyces limonii*, Doidge (1950)

Poaceae

- 1003. **Aegilops cylindrica* Host., *Puccinia triticina*, Doidge (1950)
- 1004. *Agrostis lachnantha* Nees, *Puccinia graminis*, Doidge (1950)
- 1005. *Andropogon amethystinus* Steud., *Uromyces clignyi*, Gjørsum (1988a)
- 1006. *Andropogon appendiculatus* Nees, *Puccinia agrophila*, Cummins (1953)
- 1007. *Andropogon chinensis* (Nees) Merr., *Puccinia andropogonis-hirti*, Gjørsum (1988a)
- 1008. *Andropogon eucomus* Nees, *Puccinia eucomi*, Cummins (1953), Doidge (1950)
- 1009. *Andropogon gayanus* Kunth var. *polycladus* (Hack.) Clayton, *Puccinia versicolor*, Doidge (1950), Masuka et al. (1998)
- 1010. *Andropogon huillensis* Rendle, *Puccinia eucomi*, Cummins (1953), Doidge (1950)
- 1011. *Andropogon schirensis* A.Rich., *Puccinia eritreaensis*, Doidge (1950), Masuka et al. (1998)
- 1012. *Andropogon* sp., *Puccinia eritreaensis*, Doidge (1950)
- 1013. *Antheophora pubescens* Nees, *Puccinia chaseana*, Gjørsum (1988a)
- 1014. *Antheophora schinzii* Hack., *Puccinia chaseana*, Gjørsum (1988a)
- 1015. *Aristida adscensionis* L. (= *Aristida curvata* (Nees) Trin. & Rupr. ex Henrard), *Puccinia unica* var. *bottomleyae*, Doidge (1950), Cummins & Husain (1966); *Puccinia aristidae* var. *chaetariae*, Doidge (1950), Cummins & Husain (1966)
- 1016. *Aristida aequiglumis* Hack., *Puccinia eylesii*, Doidge (1950), Cummins & Husain (1966)
- 1017. *Aristida congesta* Roem. & Schult., *Puccinia aristidae* var. *chaetariae*, Doidge (1950), Cummins & Husain (1966)

1018. *Aristida congesta* Roem. & Schult. subsp. *barbicollis* (Trin. & Rupr.) De Winter (= *Aristida barbicollis* Trin. & Rupr.), *Puccinia unica* var. *bottomleyae*, Doidge (1950), Cummins & Husain (1966)
1019. *Aristida junciformis* Trin. & Rupr., *Puccinia eylesii*, Doidge (1950), Cummins & Husain (1966); *Puccinia unica* var. *bottomleyae*, Doidge (1950), Cummins & Husain (1966)
1020. *Aristida nemorivaga* Henrard (= *Aristida canescens* Henr.), *Puccinia aristidae* var. *chaetariae*, Doidge (1950), Cummins & Husain (1966); *Puccinia unica* var. *bottomleyae*, Doidge (1950), Cummins & Husain (1966)
1021. *Aristida scabrivalvis* Hack., *Puccinia eylesii*, Doidge (1950); *Puccinia unica* var. *bottomleyae*, Doidge (1950), Cummins & Husain (1966)
1022. *Aristida transvaalensis* Henr., *Puccinia eylesii*, Doidge (1950), Cummins & Husain (1966)
1023. *Aristida* sp., *Puccinia eylesii*, Doidge (1950), Masuka et al. (1998)
1024. **Arrhenatherum elatius* (L.) P.Beauv. ex J.Presl & C.Presl, *Puccinia graminis*, Doidge (1950)
1025. *Arundinella nepalensis* Trin. (= *Arundinella ecklonii* Nees), *Puccinia arundinellae*, Doidge (1950)
1026. **Arundo donax* L., *Puccinia torosa*, Doidge (1950) an excluded species
1027. **Avena barbata* Brot., *Puccinia coronata*, Van Niekerk et al. (2001a)
1028. **Avena byzantina* K.Koch., *Puccinia coronata*, Van Niekerk et al. (2001a); *Puccinia graminis*, Van Niekerk et al. (2001a)
1029. **Avena fatua* L., *Puccinia coronata*, Van Niekerk et al. (2001a); *Puccinia graminis*, Van Niekerk et al. (2001a)
1030. **Avena sativa* L., *Puccinia coronata*, Doidge (1950), Masuka et al. (1998), Van Niekerk et al. (2001a), Boshoff et al. (2020); *Puccinia graminis*, Doidge (1950), Masuka et al. (1998), Van Niekerk et al. (2001a), Boshoff et al. (2019a)
1031. **Avena sterilis* L., *Puccinia coronata*, Van Niekerk et al. (2001a); *Puccinia graminis*, Van Niekerk et al. (2001a)
1032. *Bothriochloa bladhii* (Retz.) S.T.Blake (= *Bothriochloa glabra* (Roxb.) A.Camus), *Puccinia duthiae*, Doidge (1950)
1033. *Bothriochloa insculpta* (A.Rich.) A.Camus, *Puccinia duthiae*, Cummins (1953), Doidge (1950)
1034. *Brachiaria brizantha* (A.Rich.) Stapf, *Uromyces setariae-italicae*, Doidge (1950), Masuka et al. (1998)
1035. *Brachiaria dictyoneura* (Fig. & De Not.) Stapf, *Uromyces setariae-italicae*, Doidge (1950)

1036. *Brachiaria eruciformis* (J.E.Sm.) Griseb. (as '*erucaeformis*'), *Uromyces setariae-italicae*, Doidge (1950)
1037. *Brachiaria humidicola* (Rendle) Schweick., *Uromyces setariae-italicae*, Masuka et al. (1998)
1038. *Brachiaria serrata* (Thunb.) Stapf, *Uromyces setariae-italicae*, Doidge (1950)
1039. **Bromus pectinatus* Thunb. (= *Bromus patulus* Mert. & W.D.J.Koch, misapplied name), *Puccinia hordei*, Gjørsum (1988a), Mennicken & Oberwinkler (2004); *Puccinia recondita*, Doidge (1950); *Puccinia striiformis* var. *striiformis*, Gjørsum (1988a)
1040. **Bromus rigidus* Roth., *Puccinia graminis*, Doidge (1950); *Puccinia recondita*, Doidge (1950)
1041. *Bromus* sp., *Puccinia recondita*, Doidge (1950)
1042. **Cenchrus clandestinus* (Hochst. ex Chiov.) Morrone (= *Pennisetum clandestinum* Hochst. Ex Chiov.), *Angiopsora apoda*, Adendorff & Rijkenberg (1995); *Puccinia* sp., Hall & Rijkenberg (1990) (as *Puccinia stenotaphri*)
1043. **Cenchrus alopecuroides* (L.) Thunb. (= *Pennisetum alopecuroides* (L.) Spreng., *Pennisetum indicum* Kuntze), *Angiopsora apoda*, Jørstad (1956)
1044. **Cenchrus americanus* (L.) Morrone (= *Pennisetum glaucum* (L.) R.Br., *Pennisetum spicatum* (L.) Körn., *Pennisetum typhoides* Stapf. & Hubb., *Pennisetum typhoideum* Rich.), *Puccinia penicillariae*, Doidge (1950), Masuka et al. (1998)
1045. *Chaetobromus dregeanus* Nees, *Uromyces chaetobromi*, Mennicken & Oberwinkler (2004)
1046. *Chaetobromus involucratus* (Schrad.) Nees subsp. *involucratus* (= *Chaetobromus schradleri* Stapf), *Uromyces chaetobromi*, Gjørsum (1988a)
1047. **Chloris gayana* Kunth, *Puccinia chloridis*, Masuka et al. (1998)
1048. *Chloris pycnothrix* Trin., *Puccinia chloridis*, Masuka et al. (1998)
1049. *Chloris roxburghiana* Schult., *Uromyces kenyensis*, Gjørsum (1988a)
1050. *Chloris virgata* Swartz, *Puccinia chloridis*, Gjørsum (1988a), Masuka et al. (1998); *Puccinia coronata*, Gjørsum (1988a); *Puccinia dietelii*, Gjørsum (1988a); *Uromyces archerianus*, Doidge (1950) (as *Uromyces chloridis*)
1051. *Coelachyrum yemenicum* (Schweinf.) S.M.Phillips, *Uromyces pedicellatus*, Gjørsum (1988a)
1052. *Cymbopogon caesius* (Hook. & Arn.) Stapf (= *Cymbopogon excavatus* (Hochst.) Stapf ex Burt Davy), *Puccinia nakanishikii*, Cummins (1953)
1053. **Cymbopogon citratus* (DC.) Stapf., *Puccinia cymbopogonis*, Masuka et al. (1998); (*Puccinia graminis*, Masuka et al. (1998), a doubtful record)

1054. *Cymbopogon densiflorus* (Steud.) Stapf (= *Cymbopogon stypticus* Fritsch), *Puccinia versicolor*, Gjærum (1988a)
1055. *Cymbopogon giganteus* Chiov., *Puccinia nakanishikii*, Gjærum (1988a)
1056. *Cymbopogon marginatus* (Steud.) Stapf ex Burt Davy, *Puccinia eritreaensis*, Doidge (1950)
1057. *Cymbopogon martinii* (Roxb.) W.Watson, *Puccinia andropogonicola*, Gjærum (1988a)
1058. *Cymbopogon nardus* (L.) Rendle (= *Cymbopogon afronardus* Stapf, *C. validus* (Stapf) Stapf ex Burt Davy), *Puccinia eritreaensis*, Doidge (1950); *Puccinia nakanishikii*, Cummins (1953)
1059. *Cymbopogon pospischilii* (K.Schum.) C.E.Hubb. (= *Cymbopogon plurinodis* (Stapf) Stapf ex Burt Davy), *Puccinia eritreaensis*, Doidge (1950)
1060. *Cynodon dactylon* (L.) Pers., *Puccinia cynodontis*, Doidge (1950), Masuka et al. (1998)
1061. **Dactylis glomerata* L., *Puccinia graminis*, Doidge (1950)
1062. *Dactyloctenium aegypticum* (L.) Willd., *Uromyces dactyloctenii*, Ritschel et al. (2007)
1063. *Digitaria debilis* (Desf.) Willd., *Puccinia digitariae*, Doidge (1950), Boshoff et al. (2022a); *Uromyces pegleriae*, Doidge (1950)
1064. *Digitaria eriantha* Steud. (= *Digitaria decumbens* Stent, *Digitaria pentzii* Stent, *Digitaria smutsii* Stent), *Puccinia digitariae-velutinae*, Doidge (1950), Masuka et al. (1998); *Puccinia digitariae*, Doidge (1950), Masuka et al. (1998), Boshoff et al. (2022a)
1065. *Digitaria milaniana* (Rendle) Stapf. (= *Digitaria setivalva* Stent), *Uromyces pegleriae*, Doidge (1950), Masuka et al. (1998)
1066. **Digitaria sanguinalis* (L.) Scop., *Uromyces pegleriae*, Doidge (1950)
1067. *Digitaria ternata* (A.Rich.) Stapf., *Uromyces pegleriae*, Doidge (1950)
1068. *Digitaria velutina* (Forssk.) Beauv., *Puccinia digitariae*, Doidge (1950)
1069. *Digitaria* sp., *Puccinia digitariae*, Doidge (1950) (misidentified as *Digitaria horizontalis* Willd), Masuka et al. (1998); *Uromyces pegleriae*, Doidge (1950)
1070. *Diheteropogon amplexans* (Nees) Clayton (= *Andropogon amplexans* Nees), *Uromyces clignyi*, Doidge (1950)
1071. *Ehrharta barbinodis* Nees, *Uromyces* sp. (*Uromyces ehrhartae-giganteae*?), Berndt & Wood (2012)
1072. *Ehrharta calycina* J.E.Sm., *Uromyces ehrhartae-giganteae*, Doidge (1950), Mennicken & Oberwinkler (2004), *Uromyces quaggafonteinus*, Berndt & Wood (2012); Mennicken & Oberwinkler (2004)

1073. *Ehrharta erecta* Lam., *Uromyces* sp. (*Uromyces ehrhartaе-giganteae*?), Berndt & Wood (2012)
1074. *Ehrharta thunbergii* Gibbs Russel (= *Ehrharta gigantea* (Thunb.) Thunb.), *Uromyces ehrhartaе-giganteae*, Doidge (1950); *Uromyces* sp. (*Uromyces ehrhartaе-giganteae*?), Berndt & Wood (2012)
1075. *Ehrharta villosa* Schult.f., *Uromyces ehrhartaе-giganteae*, Mennicken & Oberwinkler (2004)
1076. *Eragrostis aethiopica* Chiov., *Uromyces pedicellatus*, Masuka et al. (1998) (as *Uromyces eragrostidis*)
1077. *Eragrostis capensis* (Thunb.) Trin., *Uredo eragrostidis-capensis*, Gjørum (1988a)
1078. *Eragrostis curvula* (Schrad.) Nees, (= *Eragrostis chloromelas* Steud.), *Uromyces pedicellatus*, Doidge (1950) (as *Uromyces eragrostidis*)
1079. *Eragrostis cylindriflora* Hochst. (= *Eragrostis atherstonei* Stapf, *Eragrostis rigidior* Pilg., *Eragrostis trichophora* Coss. & Dur.), *Uromyces eragrostidicola*, Gjørum (1988a)
1080. *Eragrostis lappula* Nees, *Puccinia eragrostidis-superbae*, Doidge (1950)
1081. *Eragrostis racemosa* (Thunb.) Steud. (= *Eragrostis chalcantha* Trin.), *Puccinia pogonathrae*, Doidge (1950)
1082. *Eragrostis superba* Peyr., *Puccinia eragrostidis-superbae*, Doidge (1950)
1083. **Eragrostis tef* (Zuccagni) Trotter, *Uromyces pedicellatus*, Doidge (1950) (as *Uromyces eragrostidis*)
1084. *Eriochloa meyeriana* (Nees) Pilg. (= *Panicum meyerianum* Nees), *Uromyces setariae-italicae*, Doidge (1950)
1085. **Festuca elatior* L., *Puccinia graminis*, Doidge (1950)
1086. *Hemarthria altissima* (Poir.) Stapf & C.E.Hubb., *Puccinia cacao*, Cummins (1953), Doidge (1950), Gjørum (1988a); *Puccinia levis* var. *panici-sanguinalis*, Cummins (1953), Doidge (1950), Masuka et al. (1998)
1087. *Heteropogon contortus* (L.) Roem. & Schult., *Puccinia versicolor*, Cummins (1953), Doidge (1950), Gjørum (1988a), Masuka et al. (1998)
1088. *Heteropogon melanocarpus* (Ell.) Benth., *Puccinia versicolor*, Doidge (1950), Gjørum (1988a), Masuka et al. (1998)
1089. *Holcus setiger* Nees, *Uromyces holci*, Jørstad (1956), Mennicken & Oberwinkler (2004)
1090. **Hordeum bulbosum* L. (= *Hordeum nodosum* L.), *Puccinia graminis*, Doidge (1950)
1091. **Hordeum intermedium* Harlan, *Puccinia recondita*, Doidge (1950)
1092. **Hordeum murinum* L., *Puccinia graminis*, Doidge (1950); *Puccinia hordei*, Doidge (1950); *Puccinia recondita*, Doidge (1950)

1093. **Hordeum vulgare* L., *Puccinia graminis*, Doidge (1950), Masuka et al. (1998), Boshoff et al. (2019a); *Puccinia hordei*, Doidge (1950), Masuka et al. (1998), Van Niekerk et al. (2001b)
1094. *Hyparrhenia anamesa* Clayton, *Puccinia andropogonicola*, Gjørøum (1988b)
1095. *Hyparrhenia cymbaria* (L.) Stapf, *Puccinia andropogonis-hirti*, Gjørøum (1988b); *Puccinia eritreaensis*, Cummins (1953), Doidge (1950), Gjørøum (1988b); *Puccinia versicolor*, Cummins (1953), Doidge (1950)
1096. *Hyparrhenia dichora* (Steud.) Stapf, *Puccinia andropogonis-hirti*, Gjørøum (1988b)
1097. *Hyparrhenia dregeana* (Nees) Stapf (= *Hyparrhenia aucta* (Stapf) Stapf ex Stent), *Puccinia andropogonis-hirti*, Gjørøum (1988b); *Puccinia eritreaensis*, Cummins (1953), Doidge (1950); *Uromyces hyparrhenicola*, Gjørøum (1988b)
1098. *Hyparrhenia familiaris* (Steud) Stapf, *Uromyces hyparrheniae*, Gjørøum (1988b)
1099. *Hyparrhenia filipendula* (Hochst.) Stapf, *Puccinia eritreaensis*, Cummins (1953), Doidge (1950); *Puccinia hyparrheniiphila*, Gjørøum (1988b)
1100. *Hyparrhenia hirta* (L.) Stapf, *Puccinia eritreaensis*, Doidge (1950)
1101. *Hyparrhenia newtonii* (Hack.) Stapf, *Puccinia aureocrassa*, Gjørøum (1988b); *Puccinia hyparrheniiphila*, Gjørøum (1988b)
1102. *Hyparrhenia nyassae* (Rendle) Stapf, *Puccinia eucomi*, Gjørøum (1988b); *Puccinia hyparrheniicola*, Gjørøum (1988b); *Puccinia versicolor*, Gjørøum (1988b)
1103. *Hyparrhenia pilgeriana* C.E.Hubb., *Puccinia versicolor*, Gjørøum (1988b)
1104. *Hyparrhenia poecilotracha* (Hack.) Stapf (= *Hyparrhenia buechananii* (Stapf) Stapf ex Stent), *Puccinia eritreaensis*, Doidge (1950)
1105. *Hyparrhenia quarrei* Robyns, *Puccinia eritreaensis*, Gjørøum (1988b)
1106. *Hyparrhenia tamba* (Steud.) Stapf (= *Hyparrhenia glauca* Stent), *Puccinia eritreaensis*, Doidge (1950), Gjørøum (1988b)
1107. *Hyparrhenia variabilis* Stapf, *Puccinia eritreaensis*, Cummins (1953), Gjørøum (1988b)
1108. *Hyparrhenia welwitschii* (Rendle) Stapf, *Puccinia versicolor*, Gjørøum (1988b)
1109. *Hyparrhenia* sp., *Puccinia aureocrassa*, Gjørøum (1988b); *Puccinia eritreaensis*, Doidge (1950), Masuka et al. (1998); *Puccinia versicolor*, Doidge (1950)
1110. *Hyperthelia dissoluta* (Nees ex Steud.) Clayton (= *Hyparrhenia dissoluta* (Nees ex Steud.) C.E.Hubb.), *Puccinia duthiae*, Gjørøum (1988a); *Puccinia eritreaensis*, Doidge (1950)
1111. *Hyperthelia macrolepis* (Hack.) Clayton (= *Andropogon macrolepis* Hack.), *Puccinia duthiae*, Gjørøum (1988a)

1112. *Imperata cylindrica* (L.) [Raeuschel](#), *Puccinia imperatae*, Cummins (1953), Doidge (1950); *Puccinia rufipes*, Doidge (1950); *Puccinia fragosoana*, [PREM 60104, 60106, 63167](#)
1113. *Ischaemum afrum* (J.F.Gmel.) Dandy, *Puccinia versicolor*, Gjørsum (1988a)
1114. *Karoochloa schismoides* (Stapf ex Conert) Conert & Türpe, *Uromyces holci*, Mennicken and Oberwinkler (2004)
1115. **Lolium multiflorum* Lam., *Puccinia coronata*, Doidge (1950), Masuka et al. (1998)
1116. **Lolium perenne* L., *Puccinia coronata*, Doidge (1950), Masuka et al. (1998); *Puccinia graminis*, Doidge (1950), Masuka et al. (1998)
1117. **Lolium temulentum* L., *Puccinia graminis*, Doidge (1950), Masuka et al. (1998)
1118. *Melinis repens* (Willd.) Zizka (= *Rhynchelytrum repens* (Willd.) C.E.Hubb., *Rhynchelytrum roseum* (Nees) Stapf & C.E.Hubb.), *Puccinia levis* var. *tricholaenae*, Doidge (1950), Jørstad (1956), Masuka et al. (1998)
1119. *Miscanthus ecklonii* (Nees) Mabb. (= *Miscanthidium capense* (Nees) Stapf, *Miscanthidium sorghum* (Nees) Stapf), *Macuropyxis fulva*, Martin et al. (2017); *Puccinia miscanthidii*, Cummins (1953), Doidge (1950)
1120. *Miscanthus junceus* (Stapf) Pilg. (= *Miscanthidium junceum* (Stapf) Stapf), *Puccinia miscanthidii*, Cummins (1953), Doidge (1950)
1121. *Monocymbium ceresiforme* (Nees) Stapf, *Puccinia versicolor*, Doidge (1950); *Uromyces clignyioides*, Gjørsum (1988a)
1122. *Olyra latifolia* L., *Puccinia faceta*, Gjørsum (1988a)
1123. *Oplismenus hirtellus* (L.) Beauv., *Puccinia advena*, Doidge (1950)
1124. *Panicum deustum* Thunb., *Uromyces setariae-italicae*, Doidge (1950)
1125. *Panicum maximum* Jacq., *Uromyces setariae-italicae*, Doidge (1950), Masuka et al. (1998)
1126. *Panicum repens* L., *Uromyces linearis*, Ramachar & Cummins (1962); *Uromyces setariae-italicae*, Masuka et al. (1998)
1127. *Panicum schinzii* Hack. (= *Panicum laevifolium* Hack), *Uromyces setariae-italicae*, Doidge (1950)
1128. *Paspalum distichum* L., *Uromyces setariae-italicae*, [PREM 60099](#)
1129. *Pentaschistis airoides* (Nees) Stapf, *Uromyces pentaschistidis*, Gjørsum (1988a), Berndt (2009)
1130. *Pentaschistis pallida* (Thunb.) H.P.Linder, *Uromyces pentaschistidis*, Berndt (2009)
1131. *Phragmites australis* (Cav.) Steud. (= *Phragmites communis* Trin.), *Puccinia magnusiana*, Doidge (1950), Gjørsum (1988a), Ritschel et al. (2007); *Puccinia phragmitis*, Doidge (1950)

- 1132. *Phragmites mauritianus* Kunth, *Puccinia magnusiana*, Gjørnum (1988a), Ritschel et al. (2007) p138
- 1133. **Poa annua* L., *Puccinia brachypodii* var. *poae-nemoralis*, Doidge (1950), Jørstad (1956); *Puccinia coronata*, Doidge (1950)
- 1134. *Pogonarthria squarrosa* (Roem. & Schult.) Pilg., *Puccinia pogonathriae*, Doidge (1950), Masuka et al. (1998)
- 1135. **Polypogon monspeliensis* (L.) Desf., *Puccinia polypogonis*, Jørstad (1956), Gjørnum (1988a), Mennicken & Oberwinkler (2004)
- 1136. *Polypogon strictus* Nees, *Puccinia graminis*, Gjørnum (1988a)
- 1137. *Rottboellia cochinchinensis* (Lour.) Clayton, *Puccinia cacao*, Cummins (1953), Doidge (1950) (as *Rottboellia exaltata*, incorrect identification); *Puccinia levis* var. *panici-sanguinalis*, Cummins (1953), Doidge (1950), Masuka et al. (1998)
- 1138. **Saccharum officinarum* L., *Macuropyxis fulva*, Martin et al (2017); *Puccinia melanocephala*, Doidge (1950) (as *Puccinia kuehnii*), Gorter (1982), Masuka et al. (1998)
- 1139. **Saccharum spontaneum* L., *Puccinia melanocephala*, Doidge (1950) (as *Puccinia kuehnii*)
- 1140. *Schismus barbatus* (Loefl. ex L.) Thell., *Uromyces holci*, Mennicken & Oberwinkler (2004)
- 1141. *Schismus scaberrimus* Nees, *Uromyces holci*, Jørstad (1956)
- 1142. *Schizachyrium sanguineum* (Retz.) Alston (= *Schizachyrium semiberbe* Nees), *Puccinia fragosoana*, Doidge (1950); *Puccinia versicolor*, Doidge (1950), Gjørnum (1988a)
- 1143. *Secale africanum* Stapf (= *Secale strictum* (C.Presl) C.Presl subsp. *africanum* (Stapf) K.Hammer), *Puccinia graminis*, Pretorius et al. (2015); *Puccinia recondita*, Doidge (1950), Pretorius et al. (2015); *Puccinia striiformis*, Pretorius et al. (2015)
- 1144. **Secale cereale* L., *Puccinia graminis*, Doidge (1950), Boshoff et al. (2019a); *Puccinia recondita*, Doidge (1950), Masuka et al. (1998), Boshoff et al. (2019a)
- 1145. *Setima ischaemoides* Forssk., *Puccinia versicolor*, Gjørnum (1988a)
- 1146. *Setaria megaphylla* (Steud.) T.Durand & Schinz, *Phakopsora setariae*, [this publication](#)
- 1147. *Setaria pumila* (Poir.) Roem. & Schult. (= *Setaria pallidifusca* (Schumach.) Stapf & C.E.Hubb.), *Uromyces setariae-italicae*, Doidge (1950)
- 1148. *Setaria verticillata* (L.) P.Beauv., *Uromyces setariae-italicae*, Doidge (1950)
- 1149. *Sorghum arundinaceum* (Desv.) Stapf (= *Sorghum verticilliflorum* (Steud.) Stapf), *Puccinia purpurea*, Doidge (1950)

1150. *Sorghum bicolor* (L.) Moench (= *Sorghum caffrorum* (Retz.) P.Beauv.), *Puccinia purpurea*, Doidge (1950), Masuka et al. (1998)
1151. **Sorghum × drummondii* (Nees ex Steud.) Millsp. & Chase (= *Sorghum bicolor* (L.) Moench subsp. *drummondii* (Steud.) De Wet, *Sorghum × sudanense* (Piper) Stapf), *Puccinia purpurea*, Doidge (1950), Masuka et al. (1998)
1152. **Sorghum virgatum* (Hack.) Stapf, *Puccinia purpurea*, Doidge (1950)
1153. *Sporobolus africanus* (Poir.) Robyns & Tournay (= *Sporobolus capensis* (Willd.) Kunth), *Puccinia kakamariensis*, Doidge (1950), Cummins & Greene (1961); *Puccinia vilfae*, Doidge (1950), Cummins & Greene (1961); *Uromyces tenuicutis*, Doidge (1950)
1154. *Sporobolus fimbriatus* (Trin.) Nees, *Puccinia kakamariensis*, Doidge (1950), Cummins & Greene (1961)
1155. *Sporobolus pectinatus* Hack., *Puccinia vilfae*, Doidge (1950), Cummins & Greene (1961)
1156. *Sporobolus pyramidalis* Beauv., *Uromyces tenuicutis*, Doidge (1950), Masuka et al. (1998)
1157. *Stenotaphrum secundatum* (Walt.) Kuntze, *Puccinia stenotaphri*, Doidge (1950)
1158. *Themeda triandra* Forssk., *Phakopsora incompleta*, Gjørsum (1988a); *Puccinia versicolor*, Doidge (1950), Jørstad (1956)
1159. *Thinopyrum distichum* (Thunb.) Á.Löve (= *Agropyron distichum* (Thunb.) P.Beauv.), *Puccinia graminis*, Combrink & Truter (1964)
1160. *Trachypogon spicatus* (L.f.) Kuntze (= *Trachypogon plumosus* (Willd.) Nees), *Puccinia eritreaensis*, Doidge (1950)
1161. *Tragus bertonianus* Schult., *Uromyces tragi*, Cummins (1971)
1162. *Tribolium echinatum* (Thunb.) Renvoize, *Uromyces holci*, Mennicken & Oberwinkler (2004)
1163. *Tricholeana* sp., *Angiopsora hansfordii*, Jørstad (1956)
1164. *Trichoneura grandiglumis* (Nees) Ekman, *Uromyces trichoneurae*, Doidge (1950)
1165. *Trichopteryx dregeana* Nees, *Uredo trichopterigis-dregeanae*, Gjørsum (1988a)
1166. *Trisetopsis imberbis* (Nees) Röser, A.Wölk & Veldkamp (= *Helicotrichon turgidulum* (Stapf) Schweick.), *Puccinia coronata*, Gjørsum (1988a)
1167. *Triraphis schinzii* Hack., *Puccinia triraphidis*, Gjørsum (1988a)
1168. *Tristachya leucothrix* Nees (= *Tristachya hispida* (Nees) K.Schum.), *Puccinia tristachyae*, Doidge (1950)
1169. *Tristachya rehmannii* Hack., *Puccinia tristachyae*, Doidge (1950)
1170. *Tristachya superba* (De Not.) Schweinf. & Asch. (= *Loudetia superba* De Not.), *Puccinia loudetiae-superbae*, Cummins (1956)

1171. **Triticum aestivum* L., *Puccinia graminis*, Doidge (1950); *Puccinia triticina*, Doidge (1950); *Puccinia striiformis* f. sp. *tritici*, Pretorius et al. (1997), Boshoff et al. (2002, 2019b).
1172. **×Triticosecale schlanstedtense* Wittm., *Puccinia graminis*, Boshoff et al. (2019c); *Puccinia triticina*, Boshoff et al. (2019c)
1173. *Urochloa mosambicensis* (Hack.) Dandy (= *Urochloa pullulans* Stapf), *Uromyces setariae-italicae*, Doidge (1950), Masuka et al. (1998)
1174. *Urochloa oligotricha* (Fig. & De Not.) Henr. (= *Urochloa bolbodes* (Steud.) Stapf, as 'bulbodes'), *Uromyces setariae-italicae*, Doidge (1950), Masuka et al. (1998)
1175. *Urochloa panicoides* Beauv., *Uromyces setariae-italicae*, Doidge (1950)
1176. *Urochloa trichopus* (Hochst.) Stapf, *Uromyces setariae-italicae*, Doidge (1950), Masuka et al. (1998)
1177. *Urochloa* sp., *Uromyces setariae-italicae*, Doidge (1950)
1178. **Vulpia bromoides* (L.) S.F.Gray, *Puccinia hordei*, Gjørsum (1998)
1179. **Vulpia myuros* (L.) C.Gmel., *Puccinia hordei*, Gjørsum (1998)
1180. **Zea mays* L., *Puccinia polysora*, Gorter (1977), Masuka et al. (1998); *Puccinia sorghi*, Doidge (1950), Masuka et al. (1998)

Polygalaceae

1181. *Polygala myrtifolia* L., *Uredo polygalae*, PREM 57108, 60552
1182. *Polygala ohlendorffiana* Eckl. & Zeyh., *Uredo polygalae*, Doidge (1950)
1183. *Polygala* sp., *Uredo polygalae*, Doidge (1950)

Polygonaceae

1184. *Emex australis* Steinh., *Puccinia phragmitis* (= *Aecidium rubellum*), Shivas & Sivasithamparam (1994); *Uromyces rumicis*, Morris (1982a), Shivas & Sivasithamparam (1994)
1185. *Persicaria acuminata* (Kunth) M.Gómez, *Puccinia polygani-amphibii*, PREM 63140
1186. **Polygonum aviculare* L., *Uromyces polygani-avicularis*, Doidge (1950)
1187. **Polygonum tomentosum* Willd., *Puccinia polygani-amphibii*, Doidge (1950); *Uromyces polygani-aviculariae*, Doidge (1950)
1188. **Rheum rhaponticum* L., *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950)
1189. *Rumex acetosella* L., *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950)
1190. *Rumex conglomeratus* Murray, *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950)

- 1191. **Rumex crispus* L., *Uromyces rumicis*, Doidge (1950), Masuka et al. (1998)
- 1192. **Rumex nepalensis* Spreng, *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950); *Uromyces rumicis*, Doidge (1950)
- 1193. *Rumex lanceolatus* Thunb. (= *Rumex ecklonianus* Meisn.), *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950), Jørstad (1956)
- 1194. *Rumex rhodesius* Rech.f., *Puccinia phragmitis* (= *Aecidium rubellum*), Masuka et al. (1998)
- 1195. *Rumex woodii* N.E.Br., *Puccinia phragmitis* (= *Aecidium rubellum*), Jørstad (1956); *Uromyces rumicis*, Doidge (1950)
- 1196. *Rumex* spp., *Puccinia phragmitis* (= *Aecidium rubellum*), Doidge (1950)
- 1197. *Rumex* spp., *Uromyces rumicis*, Doidge (1950)

Polypodiaceae

- 1198. *Microgramma mauritiana* (Willd.) Tardieu (= *Polypodium lycopodioides* L.), *Milesina nervisequa*, Berndt (2008b), Doidge (1950) misidentified as *Milesina dieteliana* in Doidge (1950), see Berndt (2008b) for details

Portulacaceae

- 1199. *Talinum cafferum* (Thunb.) Eckl. & Zeyh., *Aecidium talinophilum*, Doidge (1950)

Primulaceae

- 1200. **Primula sinensis* Sabine ex Lindl., *Aecidium* sp., Masuka et al. (1998)

Pteridaceae

- 1201. *Hemionitis viridis* (Forssk.) Christenh. (= *Cheilanthes viridis* (Forssk.) Sw., *Cheilanthes hastata* (L.f.) Kunze, *Pellaea viridis* (Forssk.) Prantl), *Milesina nervisequa*, Doidge (1950), Berndt (2008b)
- 1202. *Hemionitis pteroides* (L.) Christenh. (= *Pellaea pteroides* (L.) Prantl), *Milesina nervisequa*, Berndt (2008b)

Ranunculaceae

- 1203. *Clematis brachiata* Thunb. (= *Clematis oweniae* Harv.), *Aecidium clematidis-brachiatae*, Doidge (1950); *Aecidium englerianum*, Doidge (1950); *Coleosporium clematidis*, Doidge (1950)
- 1204. *Clematis* sp., *Aecidium englerianum*, Doidge (1950)
- 1205. *Ranunculus multifidus* Forssk. (= *Ranunculus pubescens* Thunb.), *Aecidium ranunculacearum*, Doidge (1950)

Rhamnaceae

- 1206. *Phylica* cf. *buxifolia* L., *Uredo fynbosense*, Berndt (2009)
- 1207. *Phylica* cf. *oleifolia* Vent., *Uredo fynbosense*, Berndt (2009)
- 1208. *Rhamnus prinoides* L'Hérit, *Endophyllum rhamni-prinoides*, Doidge (1950), Masuka et al. (1998), Wood (2004), [this publication](#)
- 1209. *Ziziphus mauritiana* Lam., *Crossopsora sekhukhunensis* Berndt & Wood (2012), Masuka et al. (1998) (as *Crossopsora ziziphi*)
- 1210. *Ziziphus mucronata* Willd., *Uredopeltis ziziphi-vulgaris*, Berndt & Wood (2012); *Crossopsora sekhukhunensis* Berndt & Wood (2012), Doidge (1950) (as *Crossopsora ziziphi*), Masuka et al. (1998) (as *Crossopsora ziziphi*)

Rosaceae

- 1211. *Agrimonia bracteata* E.Mey. ex C.A.Mey. (= *Agrimonia eupatoria* L. var. *capensis* Harv.), *Quasipucciniastrum ochraceum*, Doidge (1950), Van Reenen (1995)
- 1212. *Alchemilla cryptantha* Steud. ex A.Rich, *Trachyspora intrusa*, Henderson (1972)
- 1213. *Alchemilla kiwuensis* Engl., *Trachyspora intrusa*, Gjærum (1995)
- 1214. *Alchemilla rehmannii* Engl., *Trachyspora intrusa*, Doidge (1950)
- 1215. *Cliffortia odorata* L., *Quasipucciniastrum ochraceum*, Berndt & Wood (2012)
- 1216. *Leucosidea sericea* Eckl. & Zeyh., *Quasipucciniastrum ochraceum*, Berndt & Wood (2012)
- 1217. **Potentilla indica* (Andrews) Th.Wolf (= *Duchesnea indica* (Andrews) Focke), *Phragmidium mexicanum*, Van Reenen (1995)
- 1218. **Prunus armeniaca* L., *Tranzschelia discolor*, Doidge (1950), Van Reenen (1995); Masuka et al. (1998)
- 1219. **Prunus dulcis* L. (= *Prunus communis* Fritsch), *Tranzschelia discolor*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995)
- 1220. **Prunus persica* (L.) Batsch, *Tranzschelia discolor*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995)
- 1221. **Prunus persica* (L.) Batsch var. *nucipersica* (Borkh.) C.K.Schneid., *Tranzschelia discolor*, Masuka et al. (1998)
- 1222. **Prunus salicina* Lindl., *Tranzschelia discolor*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995)
- 1223. **Rosa* spp., *Phragmidium mucronatum*, Doidge (1950), Masuka et al. (1998), Van Reenen (1995)
- 1224. *Rubus apetalus* Poir. (= *Rubus adolfi-friedericii* Engl.), *Kuehneola uredinis*, Doidge (1950)
- 1225. **Rubus* sect. *Cuneifolii* (L.H.Bailey) L.H.Bailey, *Kuehneola uredinis*, Wager (1947) (as *R. cuneifolius* Pursh.)

1226. *Rubus ludwigii* Eckl. & Zeyh., *Hamaspora longissima*, Doidge (1950)
1227. *Rubus pinnatus* Willd., *Hamaspora longissima*, Doidge (1950); *Kuehneola uredinis*, PREM 58352
1228. *Rubus rigidus* J.E.Sm., *Hamaspora longissima*, Doidge (1950), Masuka et al. (1998); *Kuehneola uredinis*, Doidge (1950)
1229. *Rubus transvaalensis* Gust. (as 'transvaliensis' Gust.), *Hamaspora longissima*, Doidge (1950); *Kuehneola uredinis*, Doidge (1950)
1230. **Rubus ursinus* Cham. & Schlecht., *Kuehneola uredinis*, Masuka et al. (1998)
1231. *Rubus* spp., *Hamaspora longissima*, Doidge (1950); *Kuehneola uredinis*, Doidge (1950)

Rubiaceae

1232. *Afrocanthium mundianum* (Cham. & Schltdl.) Lantz (= *Canthium mundianum* Cham. & Schltdl., as 'mundtianum'), *Aecidium baumanianum*, Doidge (1950); *Hemileia detergibile*, Ritschel (2005); *Puccinia versicolor* (= *Aecidium plectroniae*), Doidge (1950); *Aecidium afrocanthii* [this publication](#)
1233. *Ancylanthos fulgidus* Welw. ex Hiern (as 'Ancylanthus'), *Aecidium ancylanthi*, Doidge (1950); *Hemileia africana*, Doidge (1950), Ritschel (2005)
1234. *Ancylanthos* sp., *Hemileia africana*, Ritschel (2005)
1235. *Anthospermum galioides* Rechb.f., *Puccinia anthospermi*, Berndt (2009)
1236. *Anthospermum hirtum* Cruse, *Puccinia anthospermi*, Doidge (1950)
1237. *Canthium ciliatum* (Klotzsch) Kuntze, *Hemileia detergibile*, Doidge (1950), Ritschel (2005)
1238. *Canthium* sp., *Hemileia detergibile*, Doidge (1950), Ritschel (2005); *Puccinia versicolor* (= *Aecidium plectroniae*), Doidge (1950)
1239. **Coffea arabica* L., *Hemileia vastatrix*, Doidge (1950), Masuka et al. (1998), Ritschel (2005), Van Reenen (1995)
1240. **Coffea liberica* Hiern, *Hemileia vastatrix*, Ritschel (2005)
1241. *Coffea* sp, *Hemileia vastatrix*, Ritschel (2005)
1242. *Conostomium natalense* (Hochst.) Brem. (= *Oldenlandia natalensis* (Hochst.) Kuntze), *Puccinia woodiana*, Doidge (1950)
1243. *Fadogia ancylantha* Hiern (= *Temnocalyx obovata* (N.E.Br.) Robyns), *Aecidium benguellense*, Doidge (1950), Masuka et al. (1998)
1244. *Fadogia cienkowski* Schweinf., *Hemileia fadogiae*, Doidge (1950), Ritschel (2005)
1245. *Fadogia fuchsoides* Oliv. (= *Temnocalyx fuchsoides* (Schweinf. ex Oliv.) Robyns), *Aecidium benguellense*, Doidge (1950)
1246. *Fadogia stenophylla* Welw. ex Hiern, *Aecidium pachystigmae*, Doidge (1950)

1247. *Fadogia stenophylla* Welw. ex Hiern subsp. *odorata* (K.Krause) Verdc., *Hemileia fadogiae*, Masuka et al. (1998)
1248. *Fadogia tetraquetra* K.Krause var. *tetraquetra*, *Hemileia fadogiae*, Ritschel (2005)
1249. *Fadogia* sp., *Uredo fadogiae*, Doidge (1950), Ritschel (2005)
1250. *Galium capense* Thunb., *Puccinia punctata*, Doidge (1950), Berndt (2009)
1251. *Galium* cf. *spurium* L. subsp. *africanum* Verdc., *Puccinia montis-venenosi*, Berndt (2009)
1252. *Galium* cf. *tomentosum* Thunb., *Puccinia montis-venenosi*, Berndt (2009)
1253. *Galopina aspera* (Eckl. & Zeyh.) Walp., *Puccinia galopinae*, Doidge (1950)
1254. *Gardenia jasminoides* Ellis, *Hemileia thomasii*, Masuka et al. (1998)
1255. *Gardenia thunbergia* Thunb., *Hemileia gardeniae-thunbergiae*, Doidge (1950) (as *H. vastatrix*), Van Reenen (1995), Ritschel (2005)
1256. *Gardenia volkensii* Schum., *Hemileia gardeniae-thunbergiae*, Van Reenen (1995), Ritschel (2005)
1257. *Gardenia* sp., *Hemileia gardeniae-thunbergiae*, Doidge (1950) (as *Hemileia vastatrix*), Van Reenen (1995), Ritschel (2005)
1258. *Keetia gueinzii* (Sond.) Bridson (= *Canthium gueinzii* Sond.), *Puccinia versicolor* (= *Aecidium plectroniae*), Doidge (1950)
1259. *Kohautia amatymbica* Eckl. & Zeyh. (= *Oldenlandia amatymbica* (Eckl. & Zeyh.) Kuntze), *Aecidium pretoriense*, Doidge (1950); *Coleosporium hedyotidis*, Doidge (1950)
1260. *Krausia floribunda* Harv. (= *Kraussia schlechteri* (K.Schum.) Bullock), *Aecidium kraussiae*, Doidge (1950)
1261. *Lagynias lasianthus* (Sond.) Bullock, *Aecidium vangueriae*, Doidge (1950)
1262. *Oldenlandia* sp., *Coleosporium hedyotidis*, Doidge (1950)
1263. *Pavetta gardeniifolia* A.Rich (= *Pavetta assimilis* Sond.), *Aecidium flavidum*, Whiteside (1966), Masuka et al. (1998); *Aecidium pienaarii*, Doidge (1950), Masuka et al. (1998); *Aecidium transvaaliae*, Doidge (1950)
1264. *Pavetta schumanniana* F.Hoffm. ex K.Schum., *Aecidium transvaaliae*, PREM 63144, 63158
1265. *Pavetta* spp., *Aecidium transvaaliae*, Doidge (1950)
1266. *Pentanisia prunelloides* (Klotzsch) Walp., *Puccinia pentanisiae*, Doidge (1950); *Puccinia pretoriensis*, Doidge (1950)
1267. *Pentanisia arenaria* (Hiern) Verdc. (= *Pentanisia pentagyne* K.Schum.), *Puccinia pentanisiae* var. *pentagynae*, Doidge (1950)
1268. *Psychotria capensis* (Eckl.) Vatke, *Stomatisora psychotriicola*, Wood et al. (2014)

1269. *Psydrax livida* (Hiern) Bridson (= *Canthium huillense* Hiern), *Aecidium plectroniicola*, Doidge (1950); *Hemileia detergibile*, Doidge (1950), Ritschel (2005)
1270. *Pygmaeothamnus chomaedendron* (Kuntze) Robyns, *Hemileia fadogiae*, PREM 59124
1271. *Pygmaeothamnus zeyheri* (Sond.) Robyns (= *Canthium abbreviatum* (K.Schum.) S.Moore), *Aecidium baumianum*, Doidge (1950); *Aecidium pachystigmae*, Doidge (1950); *Hemileia fadogiae*, Doidge (1950), Ritschel (2005)
1272. *Rubia cordifolia* L., *Puccinia dimorpha*, Doidge (1950)
1273. *Rubia horrida* (Thunb.) Puff (= *Rubia petiolaris* var. *heterophylla* Sond.), *Puccinia dimorpha*, Doidge (1950)
1274. *Rubia petiolaris* DC., *Puccinia dimorpha*, Doidge (1950)
1275. *Rytigynia orbicularis* (K.Schum.) Robyns (= *Canthium orbiculare* Good), *Hemileia detergibile*, Doidge (1950), Ritschel (2005)
1276. *Spermacoce dibrachiata* Oliv. (= *Borreria dibrachiata* (Oliv.) K.Schum.), *Puccinia bakoyana*, Doidge (1950),
1277. *Spermacoce senensis* (Klotzsch) Hiern, *Puccinia bakoyana*, Masuka et al. (1998), Gjørø (2002)
1278. *Spermacoce* sp. (as *Borreria angustifolia* K.Schum., unknown name), *Puccinia borrieriae*, Doidge (1950)
1279. *Tricalysia capensis* (Meisn. ex Hochst.) Sim, *Hemileia evansii*, Doidge (1950), Ritschel (2005)
1280. *Tricalysia sonderiana* Hiern, *Hemileia evansii*, Doidge (1950), Ritschel (2005)
1281. *Vangueria bowkeri* (Robyns) Lantz, *Hemileia woodii*, PREM 59109, 60939, 63131, 63174
1282. *Vangueria latifolia* (Sond.) Sond. (= *Pachystigma latifolium* Sond.), *Aecidium vangeriae*, Doidge (1950); *Hemileia woodii*, Doidge (1950), Ritschel (2005)
1283. *Vangueria infausta* Burch., *Aecidium vangeriae*, Doidge (1950), Masuka et al. (1998); *Hemileia woodii*, Doidge (1950), Masuka et al. (1998), Ritschel (2005), Van Reenen (1995)
1284. *Vangueria macrocalyx* Sond., *Aecidium vangeriae*, PREM 63204
1285. *Vangueria pygmaeum* Robyns (= *Pachystigma pygmaeum* (Schltr.) Robyns), *Hemileia woodii*, Doidge (1950), Ritschel (2005); *Puccinia vangeriae*, Doidge (1950)
1286. *Vangueriopsis lanciflora* (Hiern) Robyns ex R.D.Good, *Hemileia woodii*, Doidge (1950), Ritschel (2005)

Rutaceae

1287. *Toddalia asiatica* (L.) Lam., *Didymosporella lemanensis*, Doidge (1950)
1288. *Vepris lanceolata* (Lam.) G.Don., *Puccinia kentaniensis*, Doidge (1950)
1289. *Zanthoxylum capense* (Thunb.) Harv., *Puccinia fagarae*, Masuka et al. (1998)
1290. *Zanthoxylum davyi* (Verdoon) Waterm. (= *Fagara davyi* Verd.), *Puccinia fagarae*, Doidge (1950)
1291. *Zanthoxylum* sp. (as '*Xanthoxylum*'), *Puccinia fagarae*, Doidge (1950)

Salicaceae

1292. **Populus albus* L., *Melampsora populnea*, Doidge (1950), Van Reenen (1995) likely misidentified
1293. **Populus deltoides* J.Bart. ex Marsh., *Melampsora allii-populina*, Van Reenen (1995); *Melampsora laricis-populina*, Van der Westhuizen & Van Warmelo (1969), Lloyd (1971), Van Reenen (1995), Hawke & Laing (2001); *Melampsora medusae*, Trench et al. (1988), Van Reenen (1995), Hawke & Laing (2001); *Melampsora medusae-populina*, Hawke (2001), Hawke & Laing (2001)
1294. **Populus nigra* L., *Melampsora laricis-populina*, Van Reenen (1995)
1295. **Populus wislizenii* Sarg., *Melampsora laricis-populina*, Van Reenen (1995)
1296. **Populus* spp., *Melampsora laricis-populina*, Van Reenen (1995); *Melampsora medusae*, Van Reenen (1995); *Melampsora populnea*, Doidge (1950), Van Reenen (1995)
1297. **Salix babylonica* L., *Melampsora coleosporioides*, Van Reenen (1995)
1298. *Salix capensis* Thunb., *Melampsora vitellinae*, Doidge (1950) likely *Melampsora coleosporioides*

Santalaceae (including Viscaceae)

1299. *Osyridocapus schimperianus* (Hochst. ex A.Rich.) A.DC. (= *Osyridicarpos natalensis* A.DC.), *Puccinia stonemanniae*, Doidge (1950)
1300. *Thesium hystrix* A.W.Hill, *Puccinia stonemanniae*, Doidge (1950)
1301. *Thesium impeditum* A.W.Hill, *Puccinia stonemanniae*, Doidge (1950)
1302. *Thesium paniculatum* L., *Puccinia stonemanniae*, Jørstad (1956)
1303. *Thesium pycnanthum* Schltr., *Puccinia stonemanniae*, Jørstad (1956)
1304. *Thesium spicatum* L., *Puccinia stonemanniae*, PREM 57344, 58373, 60551
1305. *Thesium strictum* Berg., *Puccinia stonemanniae*, Doidge (1950), Mennicken & Oberwinkler (2004)
1306. *Thesium triflorum* Thunb., *Puccinia stonemanniae*, Doidge (1950)
1307. *Thesium viridifolium* Levyns, *Puccinia stonemanniae*, Mennicken & Oberwinkler (2004)
1308. *Thesium* spp., *Puccinia stonemanniae*, Doidge (1950)

1309. *Viscum nervosum* Hochst. ex A.Rich., *Aecidium cookeanum*, Doidge (1950), Jørstad (1956)

Sapindaceae

1310. **Cardiospermum grandiflorum* Sw., *Puccinia arechavaletae*, [this publication](#)
1311. **Cardiospermum halicacabum* L., *Dietelia cardiospermi*, Berndt & Wood (2012), Doidge (1950) (as *Aecidium cardiospermi*)

Sapotaceae

1312. *Mimusops afra* E.Mey ex A.DC., *Maravalia mimusops*, Cummins (1950) (as *Scopella mimusops*), Doidge (1950) (as *Uromyces mimusops*), Ono (1984)
1313. *Mimusops zeyheri* Sond., *Maravalia neomimusops*, Doidge (1950) (as *Uromyces mimusops* pro parte), [this publication](#)

Scrophulariaceae (including Buddlejaceae)

1314. **Antirrhinum majus* L., *Puccinia antirrhini*, Doidge (1950), Masuka et al. (1998)
1315. *Gomphostigma virgatum* (L.f.) Baill. (= *Gomphostigma virgata* (L.f.) O.Kuntze.), *Aecidium gomphostigmae*, Doidge (1950)
1316. **Linaria* sp., *Puccinia antirrhini*, Doidge (1950), Truter & Martin (1971)

Smilacaceae

1317. *Smilax anceps* Willd. (= *Smilax kraussiana* Meisn.), *Puccinia kraussiana*, Doidge (1950)

Solanaceae

1318. *Lycium afrum* L., *Puccinia afra*, Doidge (1950), Otálora & Berndt (2018)
1319. *Lycium amoenum* Dammer (= *Lycium campanulatum* E.Mey. ex C.H.Wright), *Puccinia afra*, Doidge (1950)
1320. *Lycium ferocissimum* Miers, *Puccinia rapipes*, Berndt & Uhlmann (2006), Otálora & Berndt (2018), Ireland et al. (2019)
1321. *Lycium hirsutum* Dunal, *Puccinia lycii* subsp. *lycii*, Doidge (1950)
1322. *Lycium horridum* Thunb. (= *Lycium oxycladium* Miers), *Puccinia lycii* subsp. *lycii*, Doidge (1950)
1323. *Lycium oxycarpum* Dunal (= *Lycium austrinum* Miers), *Puccinia lycii* subsp. *lycii*, Doidge (1950); *Puccinia turgida*, Mennicken et al. (2005a), Berndt & Uhlmann (2006) (as *P. spinulosa*), Otálora & Berndt (2018)
1324. *Lycium* sp., *Puccinia afra*, Mennicken et al. (2005a), Otálora & Berndt (2018); *Puccinia lycii* subsp. *lycii*, Doidge (1950), Otálora & Berndt (2018) (as *Lycium*

- tubulosum* Nees, unknown name), Mennicken et al. (2005a); *Puccinia lycii* subsp. *bizonata*, Berndt (2009), Otálora & Berndt (2018)
1325. **Nicotiana tabacum* L., *Aecidium* sp., Masuka et al. (1998)
1326. *Solanum campylacanthum* Hochst. ex A.Rich., *Puccinia digitariae*, Boshoff et al. (2022a)
1327. *Solanum giganteum* Jacq., *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950)
1328. *Solanum incanum* L., *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950), Gjørnum (1995), Masuka et al. (1998)
1329. *Solanum lichtensteinii* Willd., *Puccinia digitariae*, Boshoff et al. (2022a)
1330. **Solanum melongena* L. (= *Solanum esculentum* Dun.), *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950), Gorter (1977), Masuka et al. (1998); *Puccinia digitariae* Boshoff et al. (2022a); *Puccinia penicillariae*? (= *Aecidium tubulosum*, *Aecidium uleanum*) Doidge (1950)
1331. *Solanum panduriforme* E.Mey. (as ‘*panduraeforme*’), *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950)
1332. *Solanum supinum* Dun., *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950)
1333. *Solanum* sp. (= *Solanum indicum* L., unresolved name), *Puccinia digitariae*? (= *Aecidium habunguense*), Doidge (1950)
1334. *Withania somnifera* (L.) Dun., *Puccinia atropae*, Doidge (1950)

Thymelaeaceae

1335. *Gnidia microcephala* Meisn., *Puccinia gnidiae*, Doidge (1950)

Verbenaceae

1336. *Lantana rugosa* Thunb. (= *Lantana salviifolia* Jacq. illegitimate name), *Puccinia versicolor*, PREM 59105, 60605, 60624; *Puccinia natalensis*, Doidge (1950)
1337. *Lippia javanicum* (Burm.f.) Spreng., *Puccinia versicolor*, Doidge (1950); *Endophyllum nairobiense*, Doidge (1950), Masuka et al. (1998), Wood (2006); *Puccinia lippiicola*, PREM 57095, 59119
1338. *Lippia scaberrima* Sond. (= *Lippia asperifolia* Rchb.), *Puccinia versicolor*, Doidge (1950); *Puccinia lippiicola*, Doidge (1950), Jørstad (1956)
1339. *Lippia* sp., *Puccinia lippiicola*, Doidge (1950)

Violaceae

1340. *Viola* sp., *Puccinia violae*, Gjørnum (1995)

Vitaceae

- 1341. *Cissus cordifolia* L., *Aecidium cissigenum*, Gjørum (1995)
- 1342. *Cyphostemma buehananii* (Planch.) Descoings ex Wild & Drum., *Aecidium vitis*, Gjørum (1995)
- 1343. *Cyphostemma rhodesiae* (Gilg & M.Brandt) Desc. ex Wild & R.B.Drumm. (= *Cissus rhodesiae* Gilg & M.Brandt, *Cissus zombensis* Gilg & M.Brandt), *Aecidium vitis*, Doidge (1950), Gjørum (1995), Masuka et al. (1998)
- 1344. *Cyphostemma woodii* (Gilg. & M.Brandt) Desc., *Aecidium vitis*, PREM 59017, 60634
- 1345. *Rhoicissus rhomboidea* (E.Mey. ex Harv.) Planch., *Skierka robusta*, Doidge (1950), Gjørum (1995)

Zingiberaceae

- 1346. *Aframomum alboviolaceum* (Ridl.) K.Schum., *Puccinia aframomi*, [this publication](#)
- 1347. *Siphonochilus aethiopicus* (Schweinf.) B.L.Burt (= *Kaempferia ethelae* J.M.Wood), *Uredo kaempferiae*, Doidge (1950)
- 1348. *Siphonochilus* sp. (= *Kaempferia* sp.), *Uredo kaempferiae*, Doidge (1950), Masuka et al. (1998)

Zygophyllaceae

- 1349. *Augea capensis* Thunb., *Uredo augeae*, Doidge (1950)
- 1350. *Zygophyllum cordifolium* L.f. (= *Roepera cordifolia*), *Uromyces namaqualandus*, Mennicken et al. (2005b)
- 1351. *Zygophyllum foetidum* Schrad. & J.C.Wendl. (= *Roepera foetida*), *Uromyces paulshoekensis*, Mennicken et al. (2005b); *Uromyces trollipii*, Doidge (1950), Mennicken et al. (2005b)
- 1352. *Zygophyllum morgsana* L., *Uromyces eclipsis*, Berndt (2009)
- 1353. *Zygophyllum prismatocarpum* E.Mey ex Sond. (= *Tetraena prismatocarpa*), *Uredo zygophyllina*, Mennicken et al. (2005b)
- 1354. *Zygophyllum* sp. (= *Roepera* sp.), *Uromyces namaqualandus*, Mennicken et al. (2005b)
- 1355. *Zygophyllum* sp. (= *Tetraena* sp. in Doidge (1950)), *Uromyces dinteri*, Mennicken et al. (2005b)